



US00D349842S

United States Patent [19]

Kearns

[11] Patent Number: Des. 349,842
[45] Date of Patent: ** Aug. 23, 1994

[54] PORTION OF A KEY BLADE BLANK

[75] Inventor: Robert E. Kearns, San Francisco, Calif.

[73] Assignee: Corbin Russwin, Inc., Berlin, Conn.

[**] Term: 14 Years

[21] Appl. No.: 3,298

[22] Filed: Jan. 6, 1993

[52] U.S. Cl. D8/347

[58] Field of Search D8/347-348; 70/393, 402, 405-407, 419, 437

[56] References Cited

U.S. PATENT DOCUMENTS

D. 278,880 5/1985 Widen D8/347
D. 286,854 11/1986 Fane et al. D8/347
D. 328,856 8/1992 Best et al. D8/347
D. 335,253 5/1993 Eizen D8/347
2,803,959 8/1957 Schlage 70/347 X
3,499,304 3/1970 Nuajoks 70/406
4,608,842 9/1986 Tietz 70/419 X
4,964,288 10/1990 Braun et al. 70/406

FOREIGN PATENT DOCUMENTS

88591 2/1960 Denmark 70/406 X
2740416 3/1979 Fed. Rep. of Germany .

OTHER PUBLICATIONS

Ilco Unican Corp. Catalogue No. 60R (1984) Key Blank #A1170B (p.2).

Ilco Unican Corp. Catalogue No. 60R (1984) Key Blank #1054F (p. 13).

Emhart Corporation Drawing Warding Data-Sections 59B, 62B, 59D1, 62D1, 76D1.


Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Darby & Darby

[57] CLAIM

The ornamental design for a portion of a key blade blank, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of my new design of a portion of a key blade blank;
FIG. 2 is a right side view of a first embodiment of my new design of a portion of a key blade blank;
FIG. 3 is a left side view of a first embodiment of my new design of a portion of a key blade blank;
FIG. 4 is a top view of a first embodiment of my new design of a portion of a key blade blank;
FIG. 5 is a bottom view of a first embodiment of my new design of a portion of a key blade blank;
FIG. 6 is a front view of a second embodiment of my new design of a portion of a key blade blank;
FIG. 7 is a right side view of a second embodiment of my new design of a portion of a key blade blank;
FIG. 8 is a left side view of a second embodiment of my new design of a portion of a key blade blank;
FIG. 9 is a top view of a second embodiment of my new design of a portion of a key blade blank; and,
FIG. 10 is a bottom view of a second embodiment of my new design of a portion of a key blade blank.






FIG. 4



FIG. 2



FIG. 5



FIG. 1




FIG. 3




FIG. 9




FIG. 7



FIG. 10



FIG. 6




FIG. 8