



US00D349856S

United States Patent [19]

Linnér

[11] **Patent Number:** Des. 349,856[45] **Date of Patent:** ** Aug. 23, 1994**[54] COMBINED BOTTLE AND CAP**[75] Inventor: **Hans Linnér**, Kalmar, Sweden[73] Assignee: **Norden Pac Development AB**,
Sweden[**] Term: **14 Years**[21] Appl. No.: **643,672**[22] Filed: **Jan. 18, 1991****[30] Foreign Application Priority Data**

Jul. 20, 1990 [SE] Sweden 90-1571

[52] U.S. Cl. D9/503; D9/435;
D9/443[58] Field of Search D9/500, 501, 503, 435,
D9/443, 558; 215/1 R, 1 C, 32, 305**[56] References Cited****U.S. PATENT DOCUMENTS**

- | | | | | |
|------------|---------|------------|-------|----------|
| D. 84,683 | 7/1931 | Davis | | D9/503 |
| D. 93,940 | 11/1934 | McManus | | D9/500 |
| D. 209,480 | 12/1967 | Wallace | | D9/503 |
| D. 223,899 | 6/1972 | Zundel | | D9/503 |
| D. 239,922 | 5/1976 | Utley | | D9/500 |
| D. 259,252 | 5/1981 | Acker | | D9/503 X |
| D. 273,767 | 5/1984 | Weiler | | D9/558 X |
| D. 315,097 | 3/1991 | Sgariboldi | | D9/544 X |
| D. 329,809 | 9/1992 | Bloomfield | | D9/443 |
| D. 330,429 | 10/1992 | Lewis | | D9/500 |

3,356,244 12/1967 Witchell 215/32
4,810,652 3/1989 Witt 215/1 C
4,995,519 2/1991 Rose et al. 215/32

OTHER PUBLICATIONSDrug & Cosmetic Industry, Dec. 1980, p. 78, PVC
Cylinder Round Bottles.

Primary Examiner—Lucy Lieberman
Attorney, Agent, or Firm—Lerner, David, Littenberg,
Krumholz & Mentlik

[57] CLAIMThe ornamental design for a combined bottle and cap,
as shown and described.**DESCRIPTION**FIG. 1 is a top, front perspective view of a combined
bottle and cap showing my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a left side perspective view, the right side
perspective view is a mirror image thereto;


FIG. 4 is a top plan view thereof;

FIG. 5 is a front elevation of a second embodiment of
the combined bottle and cap;

FIG. 6 is a rear elevation of FIG. 5;

FIG. 7 is a left side elevation of FIG. 5, the right side
elevation is a mirror image thereof; and,

FIG. 8 is a top plan view of FIG. 5.

The bottom of both embodiments of the combined bot-
tle and cap is flat and unornamented.




FIG. 3




FIG. 2




FIG. 4




FIG. 1




FIG. 7




FIG. 6




FIG. 8




FIG. 5