



US00D350059S

United States Patent [19]
Hoffman et al.

[11] **Patent Number: Des. 350,059**
[45] **Date of Patent: ** Aug. 30, 1994**

[54] **PORTION OF A KEY BLADE BLANK**
[75] **Inventors:** Anthony J. Hoffman, Plantsville, Conn.; Robert E. Kearns, San Francisco, Calif.
[73] **Assignee:** Corbin Russwin, Inc., Berlin, Conn.
[**] **Term:** 14 Years
[21] **Appl. No.:** 3,306
[22] **Filed:** Jan. 6, 1993
[52] **U.S. Cl.** D8/347
[58] **Field of Search** D8/347-348;
70/393, 402, 405-407, 419, 437


[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 278,880 5/1985 Widen D8/347
D. 286,854 11/1986 Fane et al. D8/347
D. 328,856 8/1992 Best et al. D8/347
D. 335,253 5/1993 Eizen D8/347
2,803,959 8/1957 Schlage 70/347 X
3,499,304 3/1970 Nuajoks 70/406
4,608,842 9/1986 Tietz 70/419 X
4,964,288 10/1990 Braun et al. 70/406
FOREIGN PATENT DOCUMENTS
88591 2/1960 Denmark 70/406 X

OTHER PUBLICATIONS
Ilco Unican Corp Catalogue No. 60R (1984) Key Blank #A1170B (p. 2).

Ilco Unican Corp Catalogue No. 60R (1984) Key Blank #1054F (p. 13).
Emhart Corp. Drawing-Warding Data-Sections 59B, 62B, 76DI.
Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Darby & Darby

[57] **CLAIM**
The ornamental design for portion of a key blade blank, as shown and described.

DESCRIPTION
FIG. 1 is a front view of a first embodiment of our new design of a portion of a key blade blank;
FIG. 2 is a right side view of a first embodiment of our new design of a portion of a key blade blank;
FIG. 3 is a left side view of a first embodiment of our new design of a portion of a key blade blank;
FIG. 4 is a top view of a first embodiment of our new design of a portion of a key blade blank;
FIG. 5 is a bottom view of a first embodiment of our new design of a portion of a key blade blank;
FIG. 6 is a front view of a second embodiment of our new design of a portion of a key blade blank;
FIG. 7 is a right side view of a second embodiment of our new design of a portion of a key blade blank;
FIG. 8 is a left side view of a second embodiment of our new design of a portion of a key blade blank;
FIG. 9 is a top view of a second embodiment of our new design of a portion of a key blade blank; and,
FIG. 10 is a bottom view of a second embodiment of our new design of a portion of a key blade blank.






FIG. 4




FIG. 2



FIG. 5



FIG. 1




FIG. 3




FIG. 9




FIG. 7




FIG. 10




FIG. 6




FIG. 8