



US00D350063S

# United States Patent [19]

[11] Patent Number: Des. 350,063

Kearns

[45] Date of Patent: \*\* Aug. 30, 1994

[54] PORTION OF A KEY BLADE BLANK

[75] Inventor: Robert E. Kearns, San Francisco, Calif.

[73] Assignee: Corbin Russwin, Inc., Berlin, Conn.

[\*\*] Term: 14 Years

[21] Appl. No.: 3,760

[22] Filed: Jan. 6, 1993

[52] U.S. Cl. .... D8/347

[58] Field of Search ..... D8/347-348;  
70/393, 402, 405-407, 419, 437

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 278,880	5/1985	Widen	.....	D8/347
D. 286,854	11/1986	Fane et al.	.....	D8/347
D. 328,856	8/1992	Best et al.	.....	D8/347
D. 335,253	5/1993	Eizen	.....	D8/347
2,803,959	8/1957	Schlage	.....	70/347 X
3,499,304	3/1970	Nuajoks	.....	70/406
4,608,842	9/1986	Tietz	.....	70/419 X
4,964,288	10/1990	Braun et al.	.....	70/406

**FOREIGN PATENT DOCUMENTS**

88591	2/1960	Denmark	.....	70/406 X
2740416	3/1979	Fed. Rep. of Germany	.	

**OTHER PUBLICATIONS**

Ilco Unican Corp Catalogue No. 60R (1984) Key Blank #A1170B (p. 2).

Ilco Unican Corp Catalogue No. 60R (1984) Key Blank #1054F (p. 13).

Emhart Corporation Drawing Warding Data-Sections 59A1, 62A1, 76D1.


Primary Examiner—Brian N. Vinson  
Attorney, Agent, or Firm—Darby & Darby

[57] **CLAIM**

The ornamental design for portion of a key blade blank, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a first embodiment of my new design of a portion of a key blade blank;  
 FIG. 2 is a right side view of a first embodiment of my new design of a portion of a key blade blank;  
 FIG. 3 is a left side view of a first embodiment of my new design of a portion of a key blade blank;  
 FIG. 4 is a top view of a first embodiment of my new design of a portion of a key blade blank;  
 FIG. 5 is a bottom view of a first embodiment of my new design of a portion of a key blade blank;  
 FIG. 6 is a front view of a second embodiment of my new design of a portion of a key blade blank;  
 FIG. 7 is a right side view of a second embodiment of my new design of a portion of a key blade blank;  
 FIG. 8 is a left side view of a second embodiment of my new design of a portion of a key blade blank;  
 FIG. 9 is a top view of a second embodiment of my new design of a portion of a key blade blank; and,  
 FIG. 10 is a bottom view of a second embodiment of my new design of a portion of a key blade blank.






FIG. 4




FIG. 2



FIG. 5



FIG. 1




FIG. 3




FIG. 9




FIG. 7



FIG. 10



FIG. 6




FIG. 8