



US00D350210S

United States Patent [19]

[11] Patent Number: **Des. 350,210**

Yuen

[45] Date of Patent: **** Aug. 30, 1994**

[54] **COMBINED INCANDESCENT LIGHT AND FLUORESCENT LAMP**

| | | | | |
|------------|--------|-----------------|-------|---------|
| D. 278,275 | 4/1985 | Mann | | D26/46 |
| 4,268,894 | 5/1981 | Bartunek et al. | | 362/158 |
| 4,432,043 | 2/1984 | Yuen | | 362/184 |

[75] Inventor: **Se K. Yuen**, Kowloon, Hong Kong

[73] Assignee: **John Manufacturing Limited**, Kowloon, Hong Kong

[**] Term: **14 Years**

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Blakely, Sokoloff, Taylor & Zafman

[21] Appl. No.: **938,477**

[57] **CLAIM**

[22] Filed: **Aug. 31, 1992**

The ornamental design for combined incandescent light and flourescent lamp, as shown and described.

[30] **Foreign Application Priority Data**

DESCRIPTION

May 22, 1992 [GB] United Kingdom 2023087

[52] U.S. Cl. **D26/42**



[58] **Field of Search** 362/157, 158, 183, 184, 362/185, 186, 188, 189, 190, 191, 196, 197, 198, 200, 202, 205, 206, 208; D26/37-50

FIG. 1 is a front elevational view thereof;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a view of the opposite side of the article, with a part top portion thereof pivoted 90° from the position shown in FIG. 4;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom view.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 252,051 6/1979 Zuen D26/41






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7