



US00D350511S

# United States Patent [19]

[11] Patent Number: **Des. 350,511**

Anderson et al.

[45] Date of Patent: **\*\* Sep. 13, 1994**

[54] TIRE TREAD

D. 326,252	5/1992	Slagh .....	D12/147
D. 331,554	12/1992	Dixon .....	D12/147
D. 334,369	3/1993	Christenbury .....	D12/147

[75] Inventors: **Norman D. Anderson**, Uniontown;  
**John S. Attinello**, Hartsville; **Dale G. Freygang**, Akron; **Samuel P. Landers**, Uniontown, all of Ohio

### OTHER PUBLICATIONS

1992 Tread Design Guide, p. 74, Summit Radial TRAC 70 (SR Rated) Tire, second row down from top, right side of page.

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—T. P. Lewandowski

[\*\*] Term: **14 Years**

[21] Appl. No.: **5,592**

### [57] CLAIM

The ornamental design for a tire tread, as shown and described.

[22] Filed: **Mar. 5, 1993**

[52] U.S. Cl. .... **D12/147**

[58] Field of Search ..... 152/209 R, 209 B, 209 D;  
D12/140, 145-151


### DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design it being understood that the pattern is repeated throughout the circumference thereof; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof; and, FIG. 4 is an enlarged fragmentary front view thereof.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 294,930	3/1988	Slagh .....	D12/147
D. 317,741	6/1991	Kuroda .....	D12/147






FIG-1




FIG-2




FIG-3




FIG-4