



US00D350672S

United States Patent [19]

[11] Patent Number: Des. 350,672

Egger et al.

[45] Date of Patent: ** Sep. 20, 1994

[54] BEVERAGE BOTTLE

[75] Inventors: **F. Robert Egger**, Watsonville;
Brenden J. Boyle, Palo Alto; **Phillip M. Hobson**, Los Altos; **Lynette M. Ross**, Mountain View, all of Calif.

[73] Assignee: **Specialized Bicycle Components, Inc.**,
Morgan Hill, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **6,574**

[22] Filed: **Mar. 31, 1993**

[52] U.S. Cl. **D7/510; D7/511; D9/539**

[58] Field of Search **D7/500, 503, 505, 507, D7/509, 522, 523, 524, 528, 536, 537, 513, 533, 535, 509, 396.2, 396.3, 510, 511, 512, 391, 392.1; D9/502, 539, 557, 538, 524, 531, 447, 446, 442, 454, 449, 434, 436, 435; 220/705, 714, 717; 215/1A; D12/114; D24/197, 198**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 197,355	1/1964	Green	D9/502
D. 272,139	1/1984	Boughton	D7/510
D. 312,878	12/1990	Mariol	D9/538
D. 315,409	3/1991	Baarber	D24/197
D. 315,670	3/1991	Darr	D9/538
D. 316,208	4/1991	Griffiths et al.	D9/436 X
D. 331,348	12/1992	Park	D9/434
D. 332,215	1/1993	Halvorson	D9/446 X
D. 332,373	1/1993	Kahl	D7/510
D. 335,449	5/1993	Appla	D9/449 X

D. 337,273	7/1993	Thatcher	D9/539
D. 337,939	8/1993	Smith, Jr.	D9/539 X
D. 339,068	9/1993	Bell et al.	D9/538
D. 339,503	9/1993	Callaway	D7/511 X
1,989,714	2/1935	Statham	.	
2,815,879	12/1957	Hermes	.	
3,032,240	5/1962	Dunklee	.	
3,224,030	12/1965	Maichen	.	
3,672,114	6/1972	Sacks	.	
3,710,989	1/1973	Armour	.	
4,703,863	11/1987	Kohus	215/11.1
4,739,906	4/1988	LoTurco	.	


Primary Examiner—Alan P. Douglas
Assistant Examiner—M. N. Pandozzi
Attorney, Agent, or Firm—Morrison & Foerster

[57] **CLAIM**

The ornamental design for a beverage bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a beverage bottle showing our new design with a two position top in a first position;
 FIG. 2 is a perspective view thereof with the two position top in the second position;
 FIG. 3 is a side elevation thereof with the two position top in the first position; the front, rear and other side elevations being identical thereto;
 FIG. 4 is a side elevation thereof with the two position top in the second position; the front, rear and other side elevations being identical thereto;
 FIG. 5 is a top plan view thereof; and,
 FIG. 6 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6