



US00D350726S

United States Patent [19]

[11] Patent Number: Des. 350,726

Cooper

[45] Date of Patent: ** Sep. 20, 1994

[54] BATTERY CHARGER FOR CELLULAR PHONE BATTERIES

[75] Inventor: Gershon N. Cooper, Encino, Calif.

[73] Assignee: Alliance Research Corporation, Chatsworth, Calif.

[**] Term: 14 Years

[21] Appl. No.: 836,221

[22] Filed: Feb. 11, 1992

[52] U.S. Cl. D13/107

[58] Field of Search 320/2, 3, 4; D13/107, D13/108, 144; D14/114, 217, 218, 240, 138, 251, 253

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|----------------|-------|----------|
| D. 227,123 | 6/1973 | Sato | | D13/107 |
| D. 245,976 | 10/1977 | Schmidt | | D13/108 |
| D. 296,692 | 7/1988 | Besford et al. | | D14/138 |
| D. 316,857 | 5/1991 | Park | | D14/138 |
| 4,816,735 | 3/1989 | Cook et al. | | 320/15 X |
| 5,200,685 | 4/1993 | Sakamoto | | 320/2 |

Primary Examiner—Wallace R. Burke
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Matthew F. Jodziewicz

[57] **CLAIM**

The ornamental design for a battery charger for cellular phone batteries, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the battery charger for cellular phone batteries of the present invention; FIG. 2 is a left side view of the battery charger for cellular phone batteries of FIG. 1; FIG. 3 is a front view of the battery charger for cellular phone batteries of FIG. 1; FIG. 4 is a rear view of the battery charger for cellular phone batteries of FIG. 1; FIG. 5 is a right side view of the battery charger for cellular phone batteries of FIG. 1; and, FIG. 6 is a bottom view of the battery charger for cellular phone batteries of FIG. 1. The broken line showing is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

