



US00D350726S

# United States Patent [19]

[11] Patent Number: Des. 350,726

Cooper

[45] Date of Patent: \*\* Sep. 20, 1994

[54] BATTERY CHARGER FOR CELLULAR PHONE BATTERIES

[75] Inventor: Gershon N. Cooper, Encino, Calif.

[73] Assignee: Alliance Research Corporation, Chatsworth, Calif.

[\*\*] Term: 14 Years

[21] Appl. No.: 836,221

[22] Filed: Feb. 11, 1992

[52] U.S. Cl. .... D13/107

[58] Field of Search ..... 320/2, 3, 4; D13/107, D13/108, 144; D14/114, 217, 218, 240, 138, 251, 253

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 227,123	6/1973	Sato	.....	D13/107
D. 245,976	10/1977	Schmidt	.....	D13/108
D. 296,692	7/1988	Besford et al.	.....	D14/138
D. 316,857	5/1991	Park	.....	D14/138
4,816,735	3/1989	Cook et al.	.....	320/15 X
5,200,685	4/1993	Sakamoto	.....	320/2


Primary Examiner—Wallace R. Burke  
Assistant Examiner—Joel Sincavage  
Attorney, Agent, or Firm—Matthew F. Jodziewicz

### [57] CLAIM


The ornamental design for a battery charger for cellular phone batteries, as shown and described.

### DESCRIPTION


FIG. 1 is a top view of the battery charger for cellular phone batteries of the present invention; FIG. 2 is a left side view of the battery charger for cellular phone batteries of FIG. 1; FIG. 3 is a front view of the battery charger for cellular phone batteries of FIG. 1; FIG. 4 is a rear view of the battery charger for cellular phone batteries of FIG. 1; FIG. 5 is a right side view of the battery charger for cellular phone batteries of FIG. 1; and, FIG. 6 is a bottom view of the battery charger for cellular phone batteries of FIG. 1. The broken line showing is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.



# FIG. 1



# FIG. 2



# FIG. 3




FIG. 4




FIG. 5




FIG. 6

