



US00D350733S

United States Patent [19]

[11] Patent Number: **Des. 350,733**

Masujima

[45] Date of Patent: **** Sep. 20, 1994**

[54] **IMAGE SCANNER**

D. 318,654 7/1991 Huang D14/107
 D. 328,290 7/1992 Tanaka D14/107
 D. 340,705 10/1993 Asakura et al. D14/107

[75] Inventor: **Ikuo Masujima**, Nagano, Japan

[73] Assignee: **Seiko Epson Corporation**, Tokyo, Japan

Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Oliff & Berridge

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **2,649**

The ornamental design for an image scanner, as shown and described.

[22] Filed: **Dec. 15, 1992**

DESCRIPTION

[30] Foreign Application Priority Data

Jun. 19, 1992 [JP] Japan 4-18330

[52] U.S. Cl. **D14/107**



[58] Field of Search 235/377, 379, 380, 483; 250/566, 568; 355/231, 233, 308; 358/488, 497; D14/100, 105, 107; D18/36

FIG. 1 is a front elevational view of the image scanner; FIG. 2 is a rear elevational view of the image scanner; FIG. 3 is a top plan view of the image scanner; FIG. 4 is a bottom plan view of the image scanner; FIG. 5 is a left side view of the image scanner; FIG. 6 is a right side view of the image scanner; FIG. 7 is an enlarged perspective view of the image scanner; FIG. 8 is a cross-sectional view of the image scanner taken along line 8—8 of FIG. 3; and, FIG. 9 is an enlarged perspective view of the image scanner with the cover open.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 302,007 7/1989 Hara et al. D14/107
 D. 303,660 9/1989 Yamagiwa et al. D14/107
 D. 308,667 6/1990 Makidera D14/107






FIG. 2




FIG. 4



FIG. 6




FIG. 1




FIG. 3



FIG. 5




FIG. 7




FIG. 8




FIG. 9