



US00D350830S

United States Patent [19]

[11] Patent Number: **Des. 350,830**

Bamber

[45] Date of Patent: **** Sep. 20, 1994**

[54] **LANTERN WITH SLIDABLE SHUTTER**

[75] Inventor: **David J. Bamber, Wichita, Kans.**

[73] Assignee: **The Coleman Company, Inc.,
Wichita, Kans.**

[**] Term: **14 Years**

[21] Appl. No.: **4,165**

[22] Filed: **Jan. 28, 1993**

[52] U.S. Cl. **D26/42**

[58] Field of Search 362/157, 158, 159, 160,
362/161, 168, 171, 172, 173, 178, 179, 180, 183,
184, 186, 197, 198, 201, 202, 203, 204, 205;
D26/37-50

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 263,630	3/1982	Wong	D26/37
D. 265,593	7/1982	Mann	D26/37
D. 280,027	8/1985	Petterson	D26/42
D. 342,800	12/1993	Petterson	D26/41
D. 344,348	2/1994	Zo	D26/41
1,606,152	11/1926	Douglas	.	
2,223,345	12/1940	Adams, Sr.	362/171
2,309,104	1/1943	Dircksen	.	
2,482,543	9/1949	Jackson	.	
2,700,100	1/1955	Wissinger	.	
3,016,454	1/1962	Simms	.	
4,074,123	2/1978	Wissinger	.	
4,663,697	5/1987	Stearns et al.	362/186
4,725,934	2/1988	Gordin	.	
5,293,306	3/1994	Bamber	362/186

OTHER PUBLICATIONS

Drawing of prior art lantern referred to in paragraph 3 on p. 1 of the application.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson

[57] **CLAIM**

The ornamental design for a lantern with slidable shutter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the lantern with slidable shutter with the shutter in the raised position;
 FIG. 2 is a rear elevational view of the lantern with slidable shutter with the shutter in the raised position;
 FIG. 3 is a bottom plan view of the lantern with slidable shutter;
 FIG. 4 is a top plan view of the lantern with slidable shutter;
 FIG. 5 is a right side elevational view of the lantern with slidable shutter, the left side elevational view being a mirror image thereof;
 FIG. 6 is a front elevational view of the lantern with slidable shutter with the shutter in the lowered position;
 FIG. 7 is a top plan view of the lantern with slidable shutter similar to FIG. 4 with the handle in the lowered position;
 FIG. 8 is a front elevational view of the lantern with slidable shutter similar to FIG. 6 with the handle in the lowered position; and,
 FIG. 9 is a rear elevational view of the lantern with slidable shutter similar to FIG. 2 with the shutter in the lowered position and the handle in the lowered position.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

