



US00D350930S

United States Patent [19]
Sugimoto

[11] **Patent Number: Des. 350,930**
[45] **Date of Patent: ** Sep. 27, 1994**

[54] **AUTOMOBILE TIRE**

[75] **Inventor:** Sonoko Sugimoto, Kobe, Japan
[73] **Assignee:** Sumitomo Rubber Industries, Ltd.,
Kobe, Japan
[**] **Term:** 14 Years
[21] **Appl. No.:** 3,831
[22] **Filed:** Jan. 19, 1993

[30] **Foreign Application Priority Data**
Jul. 21, 1992 [JP] Japan 4-21891
[52] **U.S. Cl.** D12/147
[58] **Field of Search** 152/209 R, 209 B, 209 D;
D12/136, 145, 146-151

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 311,885 11/1990 Himuro et al. D12/146
D. 313,777 1/1991 Yamashita D12/146

OTHER PUBLICATIONS

“Yokohama Y703B TL-P-SB-RP-MST.” 1992 Tread
Design Guide, p. 138 a Bennett Garfield Publication.
Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] **CLAIM**

The ornamental design for an automobile tire, as shown
and described.

DESCRIPTION

FIG. 1 is a front perspective view of an automobile tire
showing my new design, it being understood that the
tread design is repeated uniformly throughout the cir-
cumference of the tire and the opposite side is the same
as that shown;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof; and,
FIG. 6 is an enlarged fragmentary front elevational
view of the groove portions thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

