



US00D350961S

# United States Patent [19]

Nakamura

[11] Patent Number: **Des. 350,961**

[45] Date of Patent: **\*\* Sep. 27, 1994**

[54] **EARPHONE**

[75] Inventor: **Koji Nakamura, Narashino, Japan**

[73] Assignee: **Aiwa Co., Ltd., Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **477**

[22] Filed: **Nov. 13, 1992**

[30] **Foreign Application Priority Data**

May 25, 1992 [JP] Japan ..... 4-15155

[52] U.S. Cl. .... **D14/205; D14/223**

[58] Field of Search ..... 381/187, 151; 379/430;  
D14/192, 223

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 176,810 1/1956 Norris ..... D14/192

D. 177,346	4/1956	Norris .....	D14/192
D. 284,859	7/1986	Okada .....	D14/192
3,906,478	9/1975	Smey .....	381/187
4,020,297	4/1977	Brodie .....	379/430
4,791,673	12/1988	Schreiber .....	381/151

*Primary Examiner*—B. J. Bullock  
*Attorney, Agent, or Firm*—Cushman, Darby & Cushman

[57] **CLAIM**

The ornamental design for an earphone, as shown.

**DESCRIPTION**

FIG. 1 is a top, front and right side perspective view of an earphone showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a left side elevational view thereof; and,  
FIG. 7 is a right side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6




FIG.7

