



US00D351005S

United States Patent [19]

[11] Patent Number: **Des. 351,005**

Hojlund et al.

[45] Date of Patent: **** Sep. 27, 1994**

[54] **ELEMENT FOR A TOY BUILDING SET**

4,846,750 7/1989 Tapdrup 446/128

[75] Inventors: **Charlotte K. H. Hojlund, Virum;**
Berit Holmstrom, Gadstrup, both of
Denmark

[73] Assignee: **Interlego A.G., Baar, Switzerland**

[**] Term: **14 Years**

[21] Appl. No.: **13,293**

[22] Filed: **Sep. 22, 1993**

[52] U.S. Cl. **D21/108**

[58] Field of Search 446/85, 110, 108, 115,
446/116, 118, 120, 122, 124, 125, 128; 434/172;
D21/108, 141; D19/59

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 308,705	6/1990	Olsen	D21/108
D. 342,555	12/1993	Berggreen	D21/108
1,935,542	11/1933	Bursell	446/110
3,534,494	10/1970	Majima	446/110

OTHER PUBLICATIONS

Lego Catalog top right of page.

Primary Examiner—B. J. Bullock

Assistant Examiner—R. Barkai


Attorney, Agent, or Firm—Kane, Dalsimer, Sullivan,
Kurucz, Levy, Eisele and Richard

[57] **CLAIM**

The ornamental design for an element for a toy building set, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the element for a toy building set showing our new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 8




FIG. 4




FIG. 3




FIG. 6




FIG. 5




FIG. 7