



US00D351051S

United States Patent [19]

[11] Patent Number: Des. 351,051

Pearson et al.

[45] Date of Patent: ** Oct. 4, 1994

[54] SUSPENDER SUPPORTED BELT

[76] Inventors: **David P. Pearson**, 861 Boxthorn Ave., Newbury Park, Calif. 91320;
Conrad W. Tanner, 3140 Del Vina St., Pasadena, Calif. 91107

[**] Term: 14 Years

[21] Appl. No.: 7,896

[22] Filed: May 4, 1993

[52] U.S. Cl. D2/626; D29/101

[58] Field of Search D2/626, 624, 627, 629;
2/44, 310, 338, 2; 602/61, 68, 70, 76; D3/327,
262; D29/11, 10

[56] References Cited

U.S. PATENT DOCUMENTS

D. 323,909 2/1992 Dewall D29/11 X
2,040,046 5/1936 Groesbeck 2/338
2,437,714 3/1948 Thomason, Jr. D2/626 X

3,089,143 5/1963 Jacobson 2/338 X
3,554,190 1/1971 Kaplan 2/44 X
4,479,267 10/1984 Radowsky, Jr. 2/44 X
4,981,307 1/1991 Walsh 2/44 X
5,257,419 11/1993 Alexander 2/44


Primary Examiner—B. J. Bullock
Assistant Examiner—Paula Mortimer
Attorney, Agent, or Firm—Cislo & Thomas

[57] CLAIM

The ornamental design for a suspender supported belt, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our suspender supported belt;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a right-side elevational view thereof;
FIG. 5 is a left-side elevational view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.






Fig. 1




Fig. 7




Fig. 6




Fig. 2



Fig. 4



Fig. 5




Fig. 3