



US00D351085S

United States Patent [19]

[11] Patent Number: **Des. 351,085**

Schmidt

[45] Date of Patent: **** Oct. 4, 1994**

- [54] **STACKING PLASTIC BUFFET WARE**
- [76] Inventor: **George Schmidt**, 11 Melrose La.,
Douglaston, N.Y. 11363
- [**] Term: **14 Years**
- [21] Appl. No.: **6,486**
- [22] Filed: **Mar. 22, 1993**
- [52] U.S. Cl. **D7/507; D7/505;**
D7/553; D7/555
- [58] **Field of Search** **D7/507, 505, 547, 642,**
D7/645, 643, 553, 554, 550, 552, 354, 355, 357,
363, 367, 533, 553, 555, 624; 220/574.1, 737,
667, 671, 675; 206/564, 557

1,680,839	8/1923	Baker	D7/555 X
2,003,895	6/1935	Martin	131/51
2,240,020	4/1941	Raiser	65/15
2,752,678	7/1956	Welch	30/324
2,824,369	2/1958	Welch	30/324
3,560,245	2/1971	Asher	D7/553 X
3,883,029	5/1975	Wyatt	220/23.83
4,607,758	8/1986	Stevens	220/23.83
4,989,742	2/1991	Powell	220/23.4
5,119,967	6/1992	Ercolani	220/23.6
5,158,202	10/1992	Kosonen et al.	220/574
5,170,908	12/1992	Austin	220/574
5,222,622	6/1993	Laske, Jr.	220/574.1

Primary Examiner—Alan P. Douglas
Assistant Examiner—M. N. Pandozzi
Attorney, Agent, or Firm—Ostrager, Chong & Flaherty

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 139,954	1/1945	Krass	D7/624 X
D. 159,643	8/1950	Kelly et al.	D44/15
160,667	10/1850	Sengstack	D44/10
168,327	12/1852	Alper	D44/10
D. 220,956	10/1879	Boteler	D7/624 X
D. 178,586	8/1956	Vivian	D44/10
D. 206,390	12/1966	Jaskulek	D7/554
D. 214,640	7/1969	Ellison	D7/624 X
D. 214,641	7/1969	Malakoff	D7/624 X
D. 217,632	5/1970	Bouchet	D7/505
D. 218,351	8/1970	Nestegard	D7/554
D. 284,442	7/1986	Chan	D7/148
D. 307,529	5/1990	Baetens	D7/505
D. 318,600	7/1991	Lillelund et al.	D7/643
D. 331,860	12/1992	Stanfield	D7/553 X
D. 336,217	6/1993	Picozza	D7/553
D. 338,374	8/1993	Jacobson	D7/553
421,264	2/1890	Gibbons	.	
956,858	5/1910	Kauffmann	.	
1,138,288	5/1915	Harper	.	

[57] **CLAIM**

The ornamental design for stacking plastic buffet ware, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the stacking plastic buffet ware of the invention;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a first side elevational view thereof;
 FIG. 5 is a front elevational view thereof;
 FIG. 6 is a second side elevational view thereof;
 FIG. 7 is a rear elevational view thereof;
 FIG. 8 is a top plan view of an alternative embodiment of the invention;
 FIG. 9 is a bottom plan view thereof;
 FIG. 10 is a first side elevational view thereof;
 FIG. 11 is a rear elevational view thereof;
 FIG. 12 is a second side elevational view thereof; and,
 FIG. 13 is a front elevational view thereof.




FIG. 1




FIG. 4





FIG. 5






FIG. 2




FIG. 7




FIG. 3




FIG. 6




FIG. 8




FIG. 10




FIG. 11

FIG. 9





FIG. 12




FIG. 13