



US00D351135S

United States Patent [19]

[11] Patent Number: **Des. 351,135**

Kurata

[45] Date of Patent: **** Oct. 4, 1994**

[54] **FEMALE CABLE CONNECTOR**

5,197,901	3/1993	Hashiguchi	439/357	X
5,201,669	4/1993	Lin	439/350	X
5,267,882	10/1993	Davis	439/610	X

[75] Inventor: **Takashi Kurata**, Tokyo, Japan

[73] Assignee: **Honda Tsushin Kogyo Kabushiki Kaishacals**, Tokyo, Japan

FOREIGN PATENT DOCUMENTS

49171 3/1991 Japan 439/350

[**] Term: **14 Years**

Primary Examiner—Wallace R. Burke
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Richard C. Litman

[21] Appl. No.: **5,483**

[22] Filed: **Feb. 25, 1993**

[57] **CLAIM**

[30] **Foreign Application Priority Data**

The ornamental design for a female cable connector, as shown and described.

Aug. 31, 1992 [JP] Japan 4-25785

[52] U.S. Cl. **D13/147**

DESCRIPTION

[58] **Field of Search** 439/76, 325, 327, 328, 439/344, 346, 350, 354, 357, 610, 680; D13/146, 147

FIG. 1 is a front, right side, bottom perspective view of female cable connector;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a plan view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is an enlarged vertical sectional view thereof, taken along the line VII—VII of FIG. 2; and,
FIG. 8 is an enlarged transverse sectional view thereof, taken along the line VIII—VIII of FIG. 5.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 328,890	8/1992	Tomikawa et al.	D13/147
4,906,208	3/1990	Nakamura et al.	439/76 X
5,157,749	10/1992	Briggs et al.	D13/133 X
5,167,542	12/1992	Haitmanek	D13/133 X
5,178,556	1/1993	Chen	439/357




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8

