



US00D351140S

United States Patent [19]
Davis

[11] **Patent Number: Des. 351,140**
[45] **Date of Patent: ** Oct. 4, 1994**

[54] **SHOE-ATTACHED REMOTE CONTROL FOR OPERATING A TROLLING MOTOR**

[76] Inventor: **Shayne A. Davis**, P.O. Box 455, Madison, Nebr. 68748

[**] Term: **14 Years**

[21] Appl. No.: **10,126**

[22] Filed: **Jun. 29, 1993**

[52] U.S. Cl. **D13/167; D2/946**

[58] Field of Search **D2/946; 200/86.5; 440/7; D13/167; D12/174**

[56] **References Cited**

U.S. PATENT DOCUMENTS

1,558,454	10/1925	Barthel et al.	D12/174	X
2,553,080	5/1951	Ching, Sr.	D12/174	X
3,467,798	9/1969	Krieger	200/865	
4,950,187	8/1990	Smith	440/7	
5,121,889	6/1992	Carey, Jr.	200/86.5	X
5,255,753	10/1993	Nishikawa et al.	200/86.5	X

Primary Examiner—Wallace R. Burke


Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Zarley, McKee, Thomte, Voorhees & Sease

[57] **CLAIM**

The ornamental design for a shoe-attached remote control for operating a trolling motor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a shoe-attached control for operating a trolling motor showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is an elevational view taken from the left side of FIG. 2; FIG. 6 is a bottom plan view thereof; FIG. 7 is an elevational view taken from the right side of FIG. 2; and, FIG. 8 is a perspective view thereof shown attached to a shoe. The broken line showing of the shoe is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8