



US00D351185S

United States Patent [19]

[11] Patent Number: **Des. 351,185**

Matsuda et al.

[45] Date of Patent: **** Oct. 4, 1994**

[54] **COMBINED ELECTRONIC CALCULATOR AND BATTERY TESTER**

[75] Inventors: **Makoto Matsuda, Matsudo; Yuichi Onumata, Ome, both of Japan**

[73] Assignee: **Casio Computer Co., Ltd., Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **903,879**

[22] Filed: **Jun. 25, 1992**

[52] U.S. Cl. **D18/2; D18/7; D10/77; D10/78**

[58] Field of Search **235/61 R; 364/706-710; D18/1, 2, 6, 7, 11; D10/75, 77, 78**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 308,692 6/1990 Sakaguchi et al. D18/7
- D. 317,619 6/1991 Sawada et al. D18/7
- D. 328,891 8/1992 Sakaguchi et al. D18/7 X

Primary Examiner—Alan P. Douglas
Assistant Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Frishauf, Holtz, Goodman & Woodward

[57] **CLAIM**

The ornamental design for a combined electronic calculator and battery tester, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a combined electronic calculator and battery tester having the function of measure the voltage of battery showing our new design;
FIG. 2 is a right side elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a rear elevation view thereof;
FIG. 7 is a perspective view thereof; and,
FIG. 8 is a front elevation view of an electronic calculator with its cover opened.




FIG. 1




FIG. 2



FIG. 6




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 8

