US00D351221S

United States Patent [19]

Berge et al.

[11] **Patent Number: Des. 351,221**

[45] **Date of Patent: ** Oct. 4, 1994**

[54] **KITCHEN SINK**

[75] Inventors: **David R. Berge,** Saint Lazare; **Jeff P. Walz,** Toronto, both of Canada

[73] Assignee: **American Standard Inc.,** New York, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **16,193**

[22] Filed: **Dec. 9, 1993**

Related U.S. Application Data

[62] Division of Ser. No. 691,589, Apr. 23, 1991, Pat. No. Des. 346,014.

[52] **U.S. Cl.** **D23/290**

[58] **Field of Search** 4/619; D23/284–294

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 192,493	4/1962	Lyon, Jr.	D23/290
D. 193,464	8/1962	Hauser	D23/290
D. 198,305	6/1964	Graining, Jr.	D23/290
D. 226,378	2/1973	Domon	D23/290
D. 234,201	1/1975	Stairs, Jr.	D23/290
D. 297,162	8/1988	Mück et al.	D23/290
D. 319,302	8/1991	Ris	D23/290
D. 323,878	2/1992	Sauter et al.	D23/290
D. 325,246	4/1992	Sauter et al.	D23/290
4,336,620	6/1982	Gresh	4/639

OTHER PUBLICATIONS

Spring/Summer 1991 edition of Sears Catalog (p. 1020).

Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Elaine Brenner Robinson; Ann M. Knab

[57] **CLAIM**

The ornamental design for kitchen sink, as shown and described.

DESCRIPTION

FIG. **1** is a top, front and left side perspective view of a kitchen sink showing our new design;
FIG. **2** is a top plan view thereof;
FIG. **3** is a front elevational view thereof;
FIG. **4** is a left side elevational view thereof;
FIG. **5** is a right side elevational view thereof;
FIG. **6** is a rear elevational view thereof;
FIG. **7** is a bottom plan view thereof;
FIG. **8** is a cross sectional view taken on line **8—8** of FIG. **2**;
FIG. **9** is a top, front and left side perspective view of a second embodiment thereof;
FIG. **10** is a top plan view of FIG. **9**;
FIG. **11** is a front elevational view of FIG. **9.**
FIG. **12** is a left side elevational view of FIG. **9**;
FIG. **13** is a right side elevational view of FIG. **9**;
FIG. **14** is a rear elevational view of FIG. **9**;
FIG. **15** is a bottom plan view of FIG. **9**;
FIG. **16** is a cross sectional view taken on line **16—16** of FIG. **10**;
FIG. **17** is a top, front and left side perspective view of a third embodiment thereof;
FIG. **18** is a top plan view of FIG. **17**;
FIG. **19** is a front elevational view of FIG. **17**;
FIG. **20** is a left side elevational view of FIG. **17**;
FIG. **21** is a right side elevational view of FIG. **17**;
FIG. **22** is a rear elevational view of FIG. **17**;
FIG. **23** is a bottom plan view of FIG. **17**;
FIG. **24** is a cross sectional view taken on line **24—24** of FIG. **18**;
FIG. **25** is a top, front and left side perspective view of a fourth embodiment thereof, wherein this embodiment differs from the first embodiment by the addition of an external shell;
FIG. **26** is a front elevational view of FIG. **25**;
FIG. **27** is a top plan view of FIG. **25**;
FIG. **28** is a left side elevational view of FIG. **25**;
FIG. **29** is a right side elevational view of FIG. **25**;
FIG. **30** is a rear elevational view of FIG. **25**;
FIG. **31** is a bottom plan view of FIG. **25**;
FIG. **32** is a cross sectional view taken on line **32–32** of FIG. **26**;
FIG. **33** is a top, front and left side perspective view of a fifth embodiment thereof, wherein this embodiment differs from the second embodiment by the addition of an external shell;
FIG. **34** is a top plan view of FIG. **33**;
FIG. **35** is a front elevational view of FIG. **33**;

(Description continued on next page.)



Description—continued

FIG. **36** is a left side elevational view of FIG. **33**;
FIG. **37** is a right side elevational view of FIG. **33**;
FIG. **38** is a rear elevational view of FIG. **33**;
FIG. **39** is a bottom plan view of FIG. **33**;
FIG. **40** is a cross sectional view taken on line **40**—**40** of FIG. **34**;
FIG. **41** is a top, front and left side elevational view of a sixth embodiment thereof, wherein this embodiment differs from the third embodiment by the addition of an external shell;
FIG. **42** is a top plan view of FIG. **41**;
FIG. **43** is a front elevational view of FIG. **41**;
FIG. **44** is a left side elevational view of FIG. **41**;
FIG. **45** is a right side elevational view of FIG. **41**;
FIG. **46** is a rear elevational view of FIG. **41**;
FIG. **47** is a bottom plan view of FIG. **41**; and,
FIG. **48** is a cross sectional view taken on line **48**—**48** of FIG. **42**.



FIG. 1

FIG. 8





FIG.2



FIG.4



FIG.3

FIG.5



FIG.6



FIG.7





FIG.9

FIG.16



FIG.10



FIG.11



FIG.12



FIG. 13



FIG. 14



FIG. 15





FIG.17

FIG.24

FIG.18



FIG.19



FIG.20



FIG.21



FIG.22



FIG.23





FIG.25

FIG.32





FIG.28



FIG.26



FIG.27

FIG.29



FIG.30



FIG.31





FIG.33

FIG.40



FIG.34



FIG.35



FIG.36



FIG.37



FIG.38



FIG.39





FIG.41

FIG.48

FIG.42



FIG.43



FIG.44



FIG.45



FIG.46



FIG.47