



US00D351278S

United States Patent [19] Stillwagon

[11] Patent Number: Des. 351,278
[45] Date of Patent: ** Oct. 11, 1994

- [54] COMBINATION KEY RING AND REMOTE CONTROL SWITCH
- [75] Inventor: Woodrow C. stillwagon, Atlanta, Ga.
- [73] Assignee: Stillwagon Applied Technology, Inc., Columbus, Ohio
- [**] Term: 14 Years
- [21] Appl. No.: 727,136
- [22] Filed: Jul. 9, 1991
- [52] U.S. Cl. D3/208
- [58] Field of Search D3/207-212;
70/456 R, 456 B; D14/218; D13/168

4,776,191	10/1988	MacDonald	70/459
4,821,543	4/1989	Scungio	70/456
4,951,489	8/1990	Proch	70/456

FOREIGN PATENT DOCUMENTS

0088699	9/1983	European Pat. Off.	70/456
0117204	8/1984	European Pat. Off.	70/456
625914	9/1961	Italy	70/456

OTHER PUBLICATIONS

- Cross-Sectional Sketch of Spring/Hook Key Holder date unknown.
- Photocopy of Manual Showing Photographs of Transmitter Key Holder Date Unknown.
- Photograph of Top View of Disconnected Ball/Groove Key Holder Date Unknown.
- Photograph of End View of One Member of Ball/Groove Key Holder Date Unknown.
- Photograph of Top View of Disconnected Compression Ring Key Holder Date Unknown.
- Photograph of End View of One Member of Compression ring Key Holder Date Unkonwn.

Primary Examiner—Ralf T. seifert

Attorney, Agent, or Firm—Louis T. Isaf

[56] References Cited

U.S. PATENT DOCUMENTS


D. 153,677	6/1947	Georganta	D17/14
D. 198,021	4/1964	Bush	D3/62
D. 235,385	6/1975	Smyth	D87/8
D. 269,308	6/1983	Goessling et al.	D3/61
D. 271,443	11/1983	MacDonald	D3/61
D. 285,987	10/1986	MacDonald	D3/61
D. 292,288	10/1987	Schwartz	D3/62
D. 293,287	12/1987	Cauque	D3/63
D. 299,480	1/1989	Harari	D3/61
D. 306,799	3/1990	Coldn	D3/61
D. 308,601	6/1990	MacDonald	D3/61
D. 308,758	6/1990	Chien	D3/62
D. 310,136	8/1990	MacDonald	D3/61
D. 310,306	9/1990	MacDonald	D3/61
D. 310,447	9/1990	MacDonald	D3/61
D. 310,753	9/1990	Stillwagon et al.	D3/61
D. 317,080	5/1991	Stillwagon et al.	D3/61
D. 318,952	8/1991	Stillwagon	D3/61
760,410	5/1904	Arnold	.
1,658,431	2/1928	Dodson	.
1,835,793	7/1929	Lurie	70/456
2,129,915	2/1937	Du Pont	206/38
2,232,333	10/1940	McGehee	70/456
2,969,823	5/1959	Sherwood	150/140
3,186,052	6/1965	Bobrow	24/201
3,299,679	1/1967	Anderson	70/459
3,587,262	6/1971	Kaye	70/456
3,600,917	8/1971	Krock	70/459
3,618,346	11/1971	Humphrey	70/408
3,777,523	12/1973	Holland	70/456
3,906,763	9/1975	Bochory	70/456
4,079,607	3/1978	Spruyt	70/456
4,248,071	2/1981	Kussoy	70/456
4,422,316	12/1983	Thomas et al.	70/456
4,524,594	6/1985	Bascou	70/456
4,765,459	8/1988	Edwards	206/38.1

[57] CLAIM

The ornamental design for a compbination key ring and remote control switch, as shown and described.

DESCRIPTION

- FIG. 1 is a perspective view of a combination key ring and remote control switch showing my new design, in accordance with a first embodiment of the present invention;
- FIG. 2 is a front view thereof;
- FIG. 3 is a left side view thereof;
- FIG. 4 is a right side view thereof;
- FIG. 5 is a rear view thereof;
- FIG. 6 is a top view thereof;
- FIG. 7 is a bottom view thereof;
- FIG. 8 is a perspective view of a combination key ring and remote control switch showing my new design, in accordance with a second embodiment of the present invention;
- FIG. 9 is a front view thereof;
- FIG. 10 is a right side view thereof;
- FIG. 11 is a left side view thereof;
- FIG. 12 is a rear view thereof;
- FIG. 13 is a top view thereof; and,
- FIG. 14 is a bottom view thereof.






FIG 1




FIG 2




FIG 3

FIG 4




FIG 5




FIG 6




FIG 7




FIG 8




FIG 9




FIG 10 FIG 11




FIG 12




FIG 13




FIG 14