



US00D351336S

# United States Patent [19]

[11] Patent Number: Des. 351,336

Dean et al.

[45] Date of Patent: \*\* Oct. 11, 1994

## [54] STRAP-TYPE SECURING DEVICE

[75] Inventors: James L. Dean, Spring; Keith R. Hazelrigg, Houston, both of Tex.

[73] Assignee: FSSL, Inc., Sugar Land, Tex.

[\*\*] Term: 14 Years

[21] Appl. No.: 777,092

[22] Filed: Oct. 14, 1991

[52] U.S. Cl. .... D8/394; D8/382

[58] Field of Search ..... D8/382, 394-396; 24/442, 19, 20, 306, 286, 16 R, 16 PB; 248/68.1, 74.3

## [56] References Cited

### U.S. PATENT DOCUMENTS

3,947,927	4/1976	Rosenthal	24/16 R
4,273,130	6/1981	Simpson	24/306
5,008,987	4/1991	Armour, II	24/442
5,075,932	12/1991	Hunt et al.	24/16 PB

Primary Examiner—B. J. Bullock  
Attorney, Agent, or Firm—Browning, Bushman, Anderson & Brookhart

## [57] CLAIM

The ornamental design for a strap-type securing device, as shown and described.

## DESCRIPTION

FIG. 1 is a top plan view of a strap-type securing device according to the present design, the cylindrical objects being shown in broken lines for illustrative purposes only;

FIG. 2 is a front elevational view thereof, the strap being shown broken away for ease of illustration;

FIG. 3 is a rear elevational view thereof, again with portions of the strap being shown broken away for ease of illustration;


FIG. 4 is an enlarged fragmentary bottom plan view thereof;

FIG. 5 is an enlarged fragmentary top plan view thereof;

FIG. 6 is an enlarged end view taken from the left of FIG. 2;

FIG. 7 is a right end elevational view of FIG. 2; and,

FIG. 8 is a right end elevational view of FIG. 2 with a portion of the strap and pad removed for clarity of illustration.







FIG. 4




FIG. 5




FIG. 6




FIG. 2




FIG. 3




FIG. 7




FIG. 8