



US00D351479S

United States Patent [19]

Meyer

[11] Patent Number: **Des. 351,479**

[45] Date of Patent: **** Oct. 11, 1994**

[54] **PORTABLE WORKLIGHT**

[76] Inventor: **William J. Meyer, c/o Invention Plus, P.O. Box 1067, Mount Vernon, Ohio 43050**

[**] Term: **14 Years**

[21] Appl. No.: **4,968**

[22] Filed: **Feb. 17, 1993**

[52] U.S. Cl. **D26/37**

[58] Field of Search 362/376, 377, 404, 407, 362/157, 158, 183, 184, 189, 197, 198, 200, 201, 202, 203, 204, 205, 206, 207, 208; D26/37-50

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|--------------------|---------|
| D. 137,334 | 2/1944 | Siemers | D26/37 |
| D. 312,316 | 11/1990 | Molony et al. | D26/37 |
| 3,835,311 | 9/1974 | Kramer | 362/376 |

| | | | |
|-----------|---------|----------------|---------|
| 4,369,487 | 1/1983 | Carlow | 362/376 |
| 4,480,295 | 10/1984 | Shuster | 362/189 |
| 4,639,842 | 1/1987 | Upchurch | 362/376 |
| 4,644,456 | 2/1987 | Lydell | 362/376 |
| 4,864,477 | 9/1989 | Engelman | 362/376 |

Primary Examiner—Wallace R. Burke

Assistant Examiner—Marcus Jackson

[57] **CLAIM**

The ornamental design for a portable worklight, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a portable worklight showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a right end view thereof;
 FIG. 4 is a left end view thereof;
 FIG. 5 is a plan view thereof; and,
 FIG. 6 is a bottom view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

