



US00D351479S

# United States Patent [19]

Meyer

[11] Patent Number: **Des. 351,479**

[45] Date of Patent: **\*\* Oct. 11, 1994**

[54] **PORTABLE WORKLIGHT**

[76] Inventor: **William J. Meyer, c/o Invention Plus, P.O. Box 1067, Mount Vernon, Ohio 43050**

[\*\*] Term: **14 Years**

[21] Appl. No.: **4,968**

[22] Filed: **Feb. 17, 1993**

[52] U.S. Cl. .... **D26/37**

[58] Field of Search ..... 362/376, 377, 404, 407, 362/157, 158, 183, 184, 189, 197, 198, 200, 201, 202, 203, 204, 205, 206, 207, 208; D26/37-50

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 137,334	2/1944	Siemers .....	D26/37
D. 312,316	11/1990	Molony et al. ....	D26/37
3,835,311	9/1974	Kramer .....	362/376

4,369,487	1/1983	Carlow .....	362/376
4,480,295	10/1984	Shuster .....	362/189
4,639,842	1/1987	Upchurch .....	362/376
4,644,456	2/1987	Lydell .....	362/376
4,864,477	9/1989	Engelman .....	362/376

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—Marcus Jackson

[57] **CLAIM**

The ornamental design for a portable worklight, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a portable worklight showing my new design;


FIG. 2 is a rear elevational view thereof;

FIG. 3 is a right end view thereof;


FIG. 4 is a left end view thereof;

FIG. 5 is a plan view thereof; and,


FIG. 6 is a bottom view thereof.




*FIG. 1*




*FIG. 2*




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**

