



US00D351480S

United States Patent [19]
Bamber et al.

[11] **Patent Number: Des. 351,480**
[45] **Date of Patent: ** Oct. 11, 1994**

- [54] **BELT FLASHLIGHT**
[75] **Inventors: David Bamber; Robert Deines, both of Wichita, Kans.**
[73] **Assignee: The Coleman Company, Inc., Wichita, Kans.**
[**] **Term: 14 Years**
[21] **Appl. No.: 2,493**
[22] **Filed: Dec. 21, 1992**
[52] **U.S. Cl. D26/39**
[58] **Field of Search 362/157, 158, 160, 161, 362/168, 171, 172, 173, 178, 179, 180, 183, 184, 186, 197, 198, 200, 201, 202, 203, 204, 205, 206, 207, 208; D26/37-50**

- [56] **References Cited**
U.S. PATENT DOCUMENTS
D. 284,106 6/1986 Drane D26/50
D. 296,827 7/1988 Yuen D26/44
D. 328,144 7/1992 Yuen D26/44

- D. 337,644 7/1993 Stearns et al. D26/48
3,252,733 5/1966 Moore et al. 362/157
3,441,730 4/1969 Doring et al. 362/183
4,339,788 7/1982 White et al. 362/157
4,598,340 7/1986 Dwosh et al. 362/98

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Tilton, Fallon, Lungmus & Chestnut

[57] **CLAIM**
The ornamental design for a belt flashlight, as shown and described.

DESCRIPTION
FIG. 1 is a perspective view of a belt flashlight showing our new design;
FIG. 2 is a reduced top plan view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a side elevation view thereof, the other side being a mirror image of this view;
FIG. 5 is a rear view thereof; and,
FIG. 6 is a bottom view thereof.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

