



US00D351503S

# United States Patent [19]

[11] Patent Number: **Des. 351,503**

Bach

[45] Date of Patent: **\*\* Oct. 18, 1994**

[54] **BATTERY HOLDER**

[76] Inventor: **Harvey S. Bach**, 2665 SW. 119 Ct.,  
Miami, Fla. 33175

[\*\*] Term: **14 Years**

[21] Appl. No.: **834,491**

[22] Filed: **Feb. 4, 1992**

[52] U.S. Cl. .... **D3/273**

[58] Field of Search ..... D3/74, 78, 99, 30.1,  
D3/39, 75; D7/616, 615; D9/341, 346, 347,  
414, 415; 206/333, 334, 45.34, 566, 491;  
D28/83, 76, 61, 73-84

D. 330,045	10/1992	Dietterich et al. ....	D3/74 X
4,524,867	6/1985	Klein et al. ....	206/45.34 X
4,723,656	2/1988	Kiernan et al. ....	206/333
4,958,731	9/1990	Calcerano ....	206/333
5,029,705	7/1991	Schmidt et al. ....	206/333

*Primary Examiner*—Melvin B. Feifer  
*Attorney, Agent, or Firm*—Lott & Friedland

### [57] CLAIM

The ornamental design for a battery holder, as shown and described.


### DESCRIPTION

FIG. 1 is an exploded front perspective view of a battery holder in an open position showing my new design; FIG. 2 is a top view in a closed position; FIG. 3 is a bottom view in a closed position; FIG. 4 is a front view in a closed position; FIG. 5 is a rear view in a closed position; and, FIG. 6 is a right side view in an open position, the left side view being identical.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 281,227	11/1985	Okano .....	D9/347
D. 297,914	10/1988	Goodman .....	D9/415 X
D. 307,554	5/1990	McAlister, Sr. ....	D9/415






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6