



US00D351540S

United States Patent [19]

[11] Patent Number: **Des. 351,540**

Combe

[45] Date of Patent: **** Oct. 18, 1994**

[54] **BROKEN DIFFERENTIAL AXLE REMOVAL TOOL**

[76] Inventor: **Robert W. Combe**, 4044 Liberty Ave., Ogden, Utah 84403

[**] Term: **14 Years**

[21] Appl. No.: **14,302**

[22] Filed: **Oct. 20, 1993**

[52] U.S. Cl. **D8/14**

[58] Field of Search **D8/14, 21, 22, 29; 294/65.5; 29/402.03, 402.04, 402.05, 402.06, 402.07, 402.08, 426.5, 234, 256, 741, 244, 277**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 228,869 10/1993 Barnes **D8/21**

OTHER PUBLICATIONS

Brookstone Hard-To-Find Tools p. 52 Spring 1984 #H-7751 Oil Filter Wrench.


Primary Examiner—Bernard Ansher
Assistant Examiner—Richelle Shelton
Attorney, Agent, or Firm—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for a broken differential axle removal tool, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and side perspective view of the broken differential axle removal tool showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof; and,
FIG. 4 is a bottom plan view thereof.






FIG. 1.




FIG. 2.




FIG. 3.

FIG. 4.

