



US00D351548S

# United States Patent [19]

[11] Patent Number: **Des. 351,548**

Bergkvist et al.

[45] Date of Patent: **\*\* Oct. 18, 1994**

## [54] PAIR OF HANDLES FOR A CRIMPING TOOL

[75] Inventors: **Hakan Bergkvist**, Bromma; **Mikael Nilsson**, ü/ lvdalen, both of Sweden

[73] Assignee: **Pressmaster Tool AB**, Alvdalen, Sweden

[\*\*] Term: **14 Years**

[21] Appl. No.: **28**

[22] Filed: **Oct. 5, 1992**

### [30] Foreign Application Priority Data

Apr. 3, 1992 [SE] Sweden ..... 920773

[52] U.S. Cl. .... **D8/107**

[58] Field of Search ..... D8/51, 52, 107;  
81/9.43, 418, 419, 420, 489; 72/409, 410, 414;  
16/110 R

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 305,090	12/1989	Collins et al. ....	D8/107
D. 309,409	7/1990	Kiernan .....	D8/107
4,353,240	10/1982	Undin et al. ....	81/418
4,377,954	3/1983	Schulze .....	81/9.43
4,608,888	9/1986	Rommel .....	72/409
4,729,170	3/1988	Hartmeister .....	72/409
4,790,068	12/1988	Sato .....	72/410

*Primary Examiner*—Bernard Ansher

*Assistant Examiner*—Philip Hyder


*Attorney, Agent, or Firm*—Keck, Mahin & Cate

### [57] CLAIM

The ornamental design for a pair of handles for a crimping tool, as shown and described.

## DESCRIPTION

FIG. 1 is a perspective view of a pair of handles for a crimping tool showing our new design;  
 FIG. 2 is a right side elevational view thereof;  
 FIG. 3 is a rear end elevational view thereof;  
 FIG. 4 is a front end elevational thereof;  
 FIG. 5 is a top plan view thereof;  
 FIG. 6 is a bottom plan view thereof;  
 FIG. 7 is a left side elevational view thereof;  
 FIG. 8 is an exploded perspective view of the pair of handles shown in FIG. 1;  
 FIG. 9 is a rear end view of the lower handle shown in FIG. 8;  
 FIG. 10 is a right side view of the handle shown in FIG. 9;  
 FIG. 11 is a bottom plan view of the handle shown in FIG. 9;  
 FIG. 12 is a left side view of the handle shown in FIG. 9;  
 FIG. 13 is a top plan view of the handle shown in FIG. 9;  
 FIG. 14 is a front end view of the handle shown in FIG. 9;  
 FIG. 15 is a rear end view of the upper handle shown in FIG. 8;  
 FIG. 16 is a right side view of the handle shown in FIG. 15;  
 FIG. 17 is a bottom plan view of the handle shown in FIG. 15;  
 FIG. 18 is a left side view of the handle shown in FIG. 15;  
 FIG. 19 is a top plan view of the handle shown in FIG. 15; and,  
 FIG. 20 is a front end view of the handle shown in FIG. 15. The broken line showing of the crimping tool is for illustrative purposes only and forms no part of the claimed design.






FIG. 1




FIG. 3




FIG. 2




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 10



FIG. 11




FIG. 12




FIG. 13



FIG. 9




FIG. 14




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 15




FIG. 20