



US00D351586S

United States Patent [19]

[11] Patent Number: Des. 351,586

Cooper

[45] Date of Patent: ** Oct. 18, 1994

[54] **BATTERY CHARGER FOR CELLULAR PHONE BATTERIES**

[75] Inventor: Gershon N. Cooper, Encino, Calif.

[73] Assignee: Alliance Research Corporation, Chatsworth, Calif.

[**] Term: 14 Years

[21] Appl. No.: 833,399

[22] Filed: Feb. 10, 1992

[52] U.S. Cl. D13/107

[58] Field of Search 320/2, 3, 4; D13/107, D13/108, 144; D14/114, 217, 218, 240

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 227,123	6/1973	Sato	D13/107
D. 245,976	10/1977	Schmidt	D13/108
D. 296,692	7/1988	Besford et al.	D14/138
D. 316,857	5/1991	Park	D14/138
4,816,735	3/1989	Cook et al.	320/15 X

5,200,685 4/1993 Sakamoto 320/2

Primary Examiner—Wallace R. Burke

Assistant Examiner—Joel Sincavage

Attorney, Agent, or Firm—Matthew F. Jodziewicz

[57] **CLAIM**

The ornamental design for a battery charger for cellular phone batteries, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the battery charger for cellular phone batteries of the present invention;
 FIG. 2 is a left side view of the battery charger for cellular phone batteries of FIG. 1;
 FIG. 3 is a front view of the battery charger for cellular phone batteries of FIG. 1;
 FIG. 4 is a rear view of the battery charger for cellular phone batteries of FIG. 1;
 FIG. 5 is a right side view of the battery charger for cellular phone batteries of FIG. 1; and,
 FIG. 6 is a bottom view of the battery charger for cellular phone batteries of FIG. 1.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

