



US00D351833S

United States Patent [19]

[11] Patent Number: **Des. 351,833**

Takami et al.

[45] Date of Patent: **** Oct. 25, 1994**

[54] **TELEVISION RECEIVER**

[75] Inventors: **Mitsuru Takami; Yoshinori Harada,**
both of Osaka, Japan

[73] Assignee: **Matsushita Electric Industrial Co.,**
Ltd., Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **9,739**

[22] Filed: **Jun. 23, 1993**

[30] **Foreign Application Priority Data**

Dec. 24, 1992 [JP] Japan 4-38483

[52] U.S. Cl. **D14/126**

[58] Field of Search 348/825, 838; 312/7.2;
D14/125-134, 113

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 179,404 12/1956 Aiken D14/126
- D. 316,714 5/1991 Matsumoto D14/126
- D. 323,324 1/1992 Suda D14/125

- D. 326,847 6/1992 Savio D14/113
- D. 344,933 3/1994 Wiseman et al. D14/113
- 4,438,458 3/1984 Munscher 348/838 X
- 4,528,597 7/1985 Klein et al. 348/838

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] **CLAIM**

The ornamental design for a television receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a television receiver showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a right side elevational view thereof, the opposite side being a mirror image thereof;
 FIG. 6 is a rear elevational view thereof; and,
 FIG. 7 is a right side elevational view thereof with a housing thereof tilted rearwardly on an underlying base.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

