



US00D351850S

United States Patent [19]

[11] Patent Number: **Des. 351,850**

Bollé

[45] Date of Patent: **** Oct. 25, 1994**

[54] **GOGGLES WITH INSERT LENS**

[75] Inventor: **Maurice Bollé, Oyonnax, France**

[73] Assignee: **Etablissements Bollé S.N.C., Oyonnax, France**

[**] Term: **14 Years**

[21] Appl. No.: **4,730**

[22] Filed: **Feb. 11, 1993**

[52] U.S. Cl. **D16/304**

[58] Field of Search 2/428, 430, 432, 436, 2/439, 440, 6.2; 351/44, 51, 105, 111, 112, 116, 123, 158; 359/480, 482, 630; D16/102, 103, 107, 111, 112, 116, 119, 122, 125, 127; D29/6, 9

4,353,134 10/1982 Macnabb .

4,425,669 1/1984 Grendol et al. .

4,504,127 3/1985 Cottet .

4,571,748 2/1986 Carroll et al. .

4,621,378 11/1986 Hatchmann .

4,649,577 3/1987 Wiedner 2/436

4,689,837 9/1987 Bollé .

4,707,863 11/1987 McNeal .

4,810,080 3/1989 Grendol et al. .

4,930,163 6/1990 King 351/158

4,934,807 6/1990 Bollé .

4,951,322 8/1990 Lin .

FOREIGN PATENT DOCUMENTS

2087403 12/1971 France .

OTHER PUBLICATIONS

Hong Kong Enterprise, Jul. 1988, p. 150 #6.

Primary Examiner—B. J. Bullock
Assistant Examiner—R. Barkai
Attorney, Agent, or Firm—Gregg I. Anderson

[56] **References Cited**
U.S. PATENT DOCUMENTS

D. 273,819 5/1984 Yehl D16/112

D. 310,839 9/1990 Bollé .

D. 322,082 12/1991 Bollé .

D. 325,266 4/1992 Pouilloux D16/107

D. 327,696 7/1992 Bolle D16/102

D. 328,084 7/1992 Salce D16/102

805,401 11/1905 Zarbaugh .

2,126,379 8/1938 Fischer .

2,179,286 11/1939 English .

2,406,608 8/1946 Joyce .

2,406,998 9/1946 DuBois .

2,617,100 11/1952 Moeller .

2,648,843 8/1953 Hirschmann .

2,774,279 12/1956 Olson et al. .

2,936,458 5/1960 Luisada .

2,993,209 7/1961 Monahan 2/428

3,146,295 8/1964 Roland 351/158

3,233,249 2/1966 Baratelli et al. .

3,233,250 2/1966 Jonassen .

3,389,406 6/1968 Mitchell .

3,517,393 6/1970 Beauchef .

3,801,189 4/1974 Bollé .

3,945,044 3/1976 McGee et al. .

4,069,156 1/1978 Watkins, Jr. .

4,163,607 8/1979 Nannini .

[57] CLAIM

The ornamental design for goggles with insert lens, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of goggles with insert lens of the design;

FIG. 2 is a top plan view of the design shown in FIG. 1;


FIG. 3 is a front elevation view of the design shown in FIG. 1;

FIG. 4 is a rear elevation view of the design shown in FIG. 1;

FIG. 5 is a bottom plan view of the design shown in FIG. 1; and,

FIG. 6 is a side elevation view of the design shown in FIG. 1, the side opposite being a mirror image.

The broken line showing of the strap in FIG. 1 is for illustrative purposes only and forms no part of the claimed design.









Fig-1




Fig_2




Fig_3



Fig_4



Fig_5



Fig_6