



US00D351899S

United States Patent [19]

[11] Patent Number: **Des. 351,899**

Isber

[45] Date of Patent: **** Oct. 25, 1994**

[54] HEAT TRAP

[76] Inventor: **George M. Isber**, 1 Sir Constantine Drive, Markham, Ontario, Canada, L3P 2X1

[**] Term: **14 Years**

[21] Appl. No.: **5,272**

[22] Filed: **Mar. 1, 1993**

[52] U.S. Cl. **D23/268**

[58] Field of Search 285/124, 150, 157, 181; 137/247.51, 171; 4/DIG. 14; 122/275, 355; 165/97; 198/952; D23/268, 266, 289, 308, 318, 323, 328, 330

[56] References Cited

U.S. PATENT DOCUMENTS

28,567	5/1860	Brinkman	D23/268
474,205	5/1892	Avery	285/150 X
1,237,144	8/1917	Allen	137/171 X
3,251,408	5/1966	Watson et al.	165/97 X
3,877,518	4/1975	Dreksler	285/157 X
4,286,573	9/1981	Nickel	.	
4,964,394	10/1990	Treatt	.	

FOREIGN PATENT DOCUMENTS

2016295 5/1989 Canada .

Primary Examiner—A. Hugo Word

Assistant Examiner—Eric Watterson

Attorney, Agent, or Firm—Ivor M. Hughes; Neil H. Hughes; Marcelo K. Sarkis

[57] CLAIM

The ornamental design for a heat trap, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a heat trap showing my new design;

FIG. 2 is a side elevation taken from the right of FIG. 1;

FIG. 3 is a side elevation taken from the left of FIG. 1;

FIG. 4 is a rear elevation;

FIG. 5 is a front elevation;

FIG. 6 is a top plan view taken from the top of FIG. 4; and,

FIG. 7 is a bottom plan view taken from the bottom of FIG. 5.




FIG. 1.




FIG. 2.



FIG. 3.



FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.

