



US00D351940S

# United States Patent [19]

[11] Patent Number: **Des. 351,940**

Morris

[45] Date of Patent: **\*\* Nov. 1, 1994**

[54] **SHOE UPPER**

[75] Inventor: **E. Scott Morris**, East Providence, R.I.

[73] Assignee: **Reebok International Ltd.**, Stoughton, Mass.

[\*\*] Term: **14 Years**

[21] Appl. No.: **19,693**

[22] Filed: **Mar. 9, 1994**

[52] U.S. Cl. .... **D2/970; D2/969**

[58] Field of Search ..... **D2/896, 902, 907, 969, D2/970; 36/45, 83, 84, 89, 102-107, 112-114**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 305,379 1/1990 Brown et al. .
- D. 307,509 5/1990 Kittle .
- D. 309,824 8/1990 Aveni et al. .
- D. 313,110 12/1990 Boucher et al. .
- D. 315,055 3/1991 Rogers et al. .
- D. 317,824 7/1991 Hatfield .
- D. 317,825 7/1991 Rogers .
- D. 319,722 9/1991 Hatfield .
- D. 325,119 4/1992 Smith .
- D. 326,354 5/1992 Hatfield .
- D. 329,937 11/1992 Hatfield et al. .
- D. 331,484 12/1992 Feller .
- D. 331,486 12/1992 Dahlsten et al. .
- D. 331,656 12/1992 Greene .
- D. 332,520 1/1993 Kittle .
- D. 332,689 1/1993 Worthington .
- D. 333,206 2/1993 Allen et al. .
- D. 333,554 3/1993 Greene .
- D. 334,088 3/1993 Teague ..... D2/970
- D. 334,089 3/1993 Teague ..... D2/970
- D. 339,448 9/1993 Teague ..... D2/970
- D. 341,701 11/1993 McDonald ..... D2/969

- D. 343,047 1/1994 Tonkel ..... D2/969
- D. 343,500 1/1994 Morris ..... D2/970
- D. 343,724 1/1994 Smith ..... D2/969
- D. 344,849 3/1994 Greene ..... D2/969
- D. 345,047 3/1994 DiSilvio ..... D2/970

**OTHER PUBLICATIONS**

288 Low Cut, The Avia Fall 1991 Footwear Catalog. W7450, The Rockport Fall 1994 Footwear Catalog. p. 21.




*Primary Examiner*—Louis S. Zarfes  
*Attorney, Agent, or Firm*—Sterne, Kessler, Goldstein and Fox

[57] **CLAIM**

The ornamental design for a shoe upper, as shown and described.

**DESCRIPTION**

FIG. 1 is a left side elevational view of a shoe upper showing our new design;  
 FIG. 2 is a right side elevational view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a front elevational view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a left side elevational view of a shoe upper showing an alternate embodiment of our new design;  
 FIG. 7 is a right side elevational view thereof;  
 FIG. 8 is a top plan view thereof;  
 FIG. 9 is a front elevational view thereof;  
 FIG. 10 is a rear elevational view thereof;  
 FIG. 11 is a left side elevational view of a shoe upper showing an alternate embodiment of our new design;  
 FIG. 12 is a right side elevational view thereof;  
 FIG. 13 is a top plan view thereof;  
 FIG. 14 is a front elevational view thereof; and,  
 FIG. 15 is a rear elevational view thereof.






FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15