



US00D351968S

# United States Patent [19]

[11] Patent Number: **Des. 351,968**

Zivin

[45] Date of Patent: **\*\* Nov. 1, 1994**

- [54] BOWL
- [76] Inventor: **Elliott N. Zivin**, 60 Cherry St.,  
Bridgeport, Conn. 06605
- [\*\*] Term: **14 Years**
- [21] Appl. No.: **17,561**
- [22] Filed: **Jan. 14, 1994**
- [52] U.S. Cl. .... **D7/564; D7/565;**  
D7/584
- [58] Field of Search ..... D7/500, 506, 514, 515,  
D7/528, 532, 544, 560, 562, 563, 565, 567, 570,  
571, 572, 584, 585, 586, 587, 588, 396.4, 564,  
396.5, 523, 604, 509, 526; 220/673, 675, 574;  
D9/307

- D. 275,357 9/1984 Durand .
- D. 283,389 4/1986 Durand .
- D. 299,800 2/1989 Natori .
- D. 301,786 6/1989 Yoshikawa ..... D7/604

### OTHER PUBLICATIONS

Royal Worcester Fireproof Porcelain, The Pottery Gazette and Glass Trade Review, Aug. 1, 1936, p. 1029.  
Stile Industria Bowl (Tapered) #33 Aug. 1961, p. 20.  
Round Houseware Bowl Holder, Housewares Aug. 21-22, 1979 p. 21.  
Bowl (front center), Tableware International, Feb. 1986, p. 151.

*Primary Examiner*—Nelson C. Holtje  
*Assistant Examiner*—M. N. Pandozzi  
*Attorney, Agent, or Firm*—Edward J. Chalfie

- [56] **References Cited**
- U.S. PATENT DOCUMENTS**
- D. 6,805 8/1873 Hobbs ..... D7/562
- D. 8,161 2/1875 Lowry .
- D. 18,224 4/1888 Barr .
- D. 18,650 10/1888 Hipkins, Jr. .
- D. 19,209 7/1889 Mellor .
- D. 43,852 4/1913 Sanford ..... D7/565
- D. 64,850 6/1924 Heisey ..... D7/565
- D. 71,041 9/1926 Atterholt .
- D. 74,066 12/1927 Mas ..... D9/307
- D. 85,152 9/1931 Beatty .
- D. 103,599 3/1937 Ruck ..... D7/565
- D. 119,863 4/1940 Lundy .
- D. 156,716 1/1950 Evans ..... D7/564
- D. 156,929 1/1950 Yutzey .
- D. 190,933 7/1961 Evans ..... D9/307
- D. 207,718 5/1967 Benes .
- D. 207,727 5/1967 Benes ..... D7/560
- D. 212,894 12/1968 Benes .
- D. 224,392 7/1972 Rics ..... D9/307
- D. 251,713 5/1979 Brody .
- D. 254,464 3/1980 Young ..... D7/544
- D. 268,789 4/1983 Harper .
- D. 271,751 12/1983 Campana .
- D. 275,355 9/1984 Durand .

- [57] **CLAIM**
- The ornamental design for a bowl, as shown and described.

### DESCRIPTION

FIG. 1 is a general perspective view of a first embodiment of a bowl embodying the present invention; FIG. 2 is a front elevational view of the bowl shown in FIG. 1, the side and rear elevational views appearing identical; FIG. 3 is a top plan view of the bowl shown in FIG. 1; FIG. 4 is a bottom plan view of the bowl shown in FIG. 1; FIG. 5 is a general perspective view of a bowl which is an alternative embodiment of the present invention, differing from the bowl shown in FIG. 1 only dimensionally; FIG. 6 is a front elevational view of the bowl shown in FIG. 5, the side and rear elevational views appearing identical; FIG. 7 is a top plan view of the bowl shown in FIG. 5; and, FIG. 8 is a bottom plan view of the bowl shown in FIG. 5.




FIG. 1





FIG. 2



*FIG. 3*





FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8