



US00D351983S

United States Patent [19]

[11] Patent Number: **Des. 351,983**

Young et al.

[45] Date of Patent: **** Nov. 1, 1994**

[54] **SHROUD LOCK FOR MOTORCYCLE HANDLEBAR CONTROLS**

3,832,912 9/1974 Edwards D12/126 X

[76] Inventors: **Billy E. Young**, 2809 Hickory St., Abilene, Tex. 79601; **William G. Krupa**, 1834 B Potosi Rd., Abilene, Tex. 79602

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Billy E. Young; William G. Krupa

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **4,894**

The ornamental design for a shroud lock for motorcycle handlebar controls, as shown and described.

[22] Filed: **Feb. 16, 1993**

DESCRIPTION

[52] U.S. Cl. **D8/331**

FIG. 1 is a top, rear, and right side perspective view of a shroud lock for motorcycle handlebar controls showing our new design;

[58] **Field of Search** D8/330-331, D8/343, 346; 70/14, 174, 192, 207, 233, 236, 158-159, 163; D12/114, 126

FIG. 2 is an enlarged top, front, and left side perspective view thereof, shown in a slightly opened position; FIG. 3 is an enlarged top, rear, and left side perspective view thereof, shown in an opened position; and,


[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 301,541 6/1989 Gifford D8/331
- D. 321,122 10/1991 Donalies D8/346
- D. 326,045 5/1992 Barrett D8/346
- D. 340,400 10/1993 Lugo D8/331

FIG. 4 is an enlarged top, rear, and right side perspective view thereof, shown in an opened position.

The broken-line disclosure of portions of the handlebar and key in the views are for illustrative purposes only and form no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4