



US00D352003S

United States Patent [19]

[11] Patent Number: **Des. 352,003**

Groene et al.

[45] Date of Patent: **** Nov. 1, 1994**

[54] **COMBINATION CAULKING TUBE CAP AND APPLICATOR**

[75] Inventors: **David E. Groene**, Centerville, Ohio;
Earl E. Hoyt, Franklin Lakes, N.J.

[73] Assignee: **DAP Products, Inc.**, Tipp City, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **11,810**

[22] Filed: **Aug. 13, 1993**

3,133,300	5/1964	Freeman	15/236
3,267,516	8/1966	Eckhaus	18/3.5
3,439,839	4/1969	Schumann et al.	D8/30 X
3,744,079	7/1973	Kraus	15/235.7
3,761,992	10/1973	Schneller	15/210 R
3,846,060	11/1974	Otis	425/458
3,930,599	1/1976	Brothers et al.	222/143
3,963,357	6/1976	Crisp	401/191
4,211,501	7/1980	Pedroso et al.	401/261
4,213,546	7/1980	Massey	222/546
4,248,660	2/1981	Johnson	156/579
4,373,640	2/1983	Resio	215/DIG. 5
4,883,204	11/1989	Kay et al.	222/192
5,099,783	3/1992	Bourgeois	118/213

Related U.S. Application Data

- [63] Continuation-in-part of Ser. No. 6,707, Apr. 5, 1993.
- [52] U.S. Cl. **D9/436; D8/70**
- [58] Field of Search **D8/70, 14.1, 30; D9/435, 444, 445, 338, 503, 337, 436; 215/228, 204, 211, 224, 306, 316, 320, DIG. 5; 220/212; 222/257, 478, 251**

FOREIGN PATENT DOCUMENTS

2548630 1/1985 France .

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Jeffry H. Musgrove
Attorney, Agent, or Firm—Biebel & French

[56] References Cited

U.S. PATENT DOCUMENTS

98,949	1/1870	Gerelds .	
D. 326,401	5/1992	Gakhar et al.	D8/70
D. 332,901	2/1993	Campbell	D8/45
D. 333,788	3/1993	Geschwender	D9/435
D. 341,301	11/1993	Noelck	D8/70
936,695	10/1909	Barth .	
1,394,868	10/1921	Smith .	
2,157,481	5/1939	Cothorn	111/82
2,271,285	1/1942	Bussert	18/3.5
2,593,674	4/1952	Harnsberger	30/142
2,609,970	9/1952	Blumson	222/192
3,087,654	4/1963	Moore	222/105

[57] CLAIM

The combination caulking tube cap and applicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the combination caulking tube cap and applicator wherein the phantom lines depict a caulking tube which forms no part of the present invention;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a front side elevational view thereof;
 FIG. 5 is a rear side elevational view thereof;
 FIG. 6 is a left side elevational view thereof; and,
 FIG. 7 is a right side elevational view thereof.




FIG-1




FIG-2




FIG-3




FIG-4




FIG-6




FIG-5




FIG-7

