



US00D352025S

United States Patent [19]

[11] Patent Number: **Des. 352,025**

Dellavecchia et al.

[45] Date of Patent: **** Nov. 1, 1994**

[54] **ELECTRONIC RELAY PROGRAMMER**

4,684,767	8/1987	Phalen	200/5 A
4,710,597	12/1987	Loheac	200/5 A
4,975,547	12/1990	Nakayama et al.	200/5 R

[75] Inventors: **Daniel J. Dellavecchia**, Cheshire;
David C. Etherton, Monroe; **Brian J. Rolnick**, Plainville, all of Conn.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Richard A. Menelly

[73] Assignee: **General Electric Company**, New York, N.Y.

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for an electronic relay programmer, as shown and described.

[21] Appl. No.: **12,154**

DESCRIPTION

[22] Filed: **Aug. 25, 1993**

[52] U.S. Cl. **D13/164**

[58] Field of Search 200/5 R, 5 A; D13/162, D13/164, 177; D10/60, 102, 103, 125

FIG. 1 is a top perspective view of the electronic relay programmer according to the invention; FIG. 2 is a top plan view of the programmer of FIG. 1; FIG. 3 is a left side view of the programmer of FIG. 1; FIG. 4 is a right side view of the programmer of FIG. 1; FIG. 5 is a bottom view of the programmer of FIG. 1; and, FIG. 6 is an end elevational view of the programmer of FIG. 1, the opposite end elevational view being a mirror image.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 256,230	8/1980	Beale et al.	D13/164
D. 287,005	12/1986	Newton	D13/162
D. 288,921	3/1987	Peck	D13/177
D. 340,916	11/1993	Iimura	D13/162 X




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

