



US00D352036S

United States Patent [19]

[11] Patent Number: **Des. 352,036**

Sekita

[45] Date of Patent: **** Nov. 1, 1994**

[54] **RADIO RECEIVER**

[75] Inventor: **Mie Sekita**, Tokyo, Japan

[73] Assignee: **Sony Corporation**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **924,502**

[22] Filed: **Aug. 4, 1992**

[52] U.S. Cl. **D14/192; D14/198; D14/205**

[58] Field of Search **312/7.1; 455/344, 347, 455/350, 351; 381/28, 188; D14/192, 197, 198, 205, 223**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 237,307	10/1975	Miyamoto	D14/192
D. 302,429	7/1989	Leer	D14/192
D. 321,879	11/1991	Emmerling	D14/192
D. 323,167	1/1992	Yamazaki et al.	D14/205

OTHER PUBLICATIONS

Radio Shack 1991 Cat. No. 459; p. 32, Headset Radio 3.

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[57] **CLAIM**

The ornamental design for a radio receiver, as shown.

DESCRIPTION

FIG. 1 is a front and left-side perspective view of a radio receiver showing my new design;
 FIG. 2 is a front and left-side perspective view thereof, shown with headband in the rotated position;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a left-side elevational view thereof;
 FIG. 6 is a right-side elevational view thereof;
 FIG. 7 is a top plan view thereof; and,
 FIG. 8 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 5




FIG. 3




FIG. 4





FIG. 7

FIG. 6




FIG. 8

