



US00D352118S

# United States Patent [19]

[11] Patent Number: **Des. 352,118**

**Kipfmueller**

[45] Date of Patent: **\*\* Nov. 1, 1994**

[54] **PILLAR**

[56] **References Cited**

### U.S. PATENT DOCUMENTS

[75] Inventor: **Max H. Kipfmueller**, Lakeville, Minn.

D. 248,874	8/1978	Prause .....	D25/42
D. 254,994	5/1980	Miereanu et al. ....	D6/495
D. 333,229	2/1993	Bareiss .....	D6/482
2,909,361	10/1959	Dotson .....	D25/126
3,280,527	10/1966	Faust .....	52/301
3,531,900	10/1970	Vaughn .....	D25/126
4,641,467	2/1987	Dupris, Jr. ....	52/301

[73] Assignee: **Andrew Berton Creative Designs Inc.**, Minneapolis, Minn.

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Doris Clark

[\*\*] Term: **14 Years**

### [57] CLAIM

[21] Appl. No.: **930,827**

The ornamental design for a pillar, as shown.


### DESCRIPTION

[22] Filed: **Aug. 14, 1992**


[52] U.S. Cl. .... **D25/126; D6/482; D6/495**

[58] Field of Search ..... 52/2.21, 112, 300, 301, 52/649.2, 651.07, 726.3, 745.17; 40/606-608; D6/495, 482; D25/42, 126; D20/10, 41


FIG. 1 is an isometric view of the pillar;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a front elevation view thereof;  
FIG. 5 is a rear elevation view thereof; and,  
FIG. 6 is a side elevation view thereof.




*Fig. 1*




*Fig. 2*




*Fig. 3*






*Fig. 4*



*Fig. 5*



*Fig. 6*