



US00D352199S

United States Patent [19]

[11] Patent Number: **Des. 352,199**

Stumpff et al.

[45] Date of Patent: **** Nov. 8, 1994**

[54] STORAGE CONTAINER FOR A MINI-OPTICAL DISC CARTRIDGE

[75] Inventors: **David L. Stumpff; Yoshihiko Taniyama**, both of Alpharetta, Ga.; **James M. Frische**, Trafalgar, Ind.; **Robert W. Wipper**, Washington Township, Bergen, County, N.J.; **Toshijiro Kato**, Norcross, Ga.

[73] Assignee: **Sony Corporation**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **889,514**

[22] Filed: **May 26, 1992**

[52] U.S. Cl. **D6/632; D6/407; D6/634**

[58] Field of Search **D3/30.1, 35, 74, 99; 206/387, 313, 444, 310**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 264,232	5/1982	Lang	D3/74
D. 283,104	3/1986	Bigando	D3/35
D. 325,468	4/1992	Ohba	D3/35
D. 335,213	5/1993	Horikiri	D3/35
D. 337,196	7/1993	Horikiri	D3/35
4,535,888	8/1985	Nusselder	206/444
4,613,044	9/1986	Saito et al.	206/444
4,702,369	10/1987	Philosophe	206/312
4,750,611	6/1988	Morrone	206/45.13
4,793,480	12/1988	Gelardi et al.	206/312
4,817,792	4/1989	Seifert	206/309
4,819,799	4/1989	Nomula et al.	206/310
4,850,477	7/1989	Gelardi et al.	206/45.19
4,874,085	10/1989	Grobecker et al.	206/309
4,875,743	10/1989	Gelardi et al.	312/13
4,895,252	1/1990	Nomula et al.	206/310
4,899,875	2/1990	Herr et al.	206/313
4,916,567	4/1990	Grobecker et al.	360/133
4,998,618	3/1991	Borgions	206/307
5,050,734	9/1991	Chen	206/444
5,101,971	4/1992	Grobecker	206/232

FOREIGN PATENT DOCUMENTS

0420350	4/1991	European Pat. Off.	206/310
---------	--------	--------------------	-------	---------

Primary Examiner—A. Hugo Word
Assistant Examiner—Celia A. Murphy
Attorney, Agent, or Firm—William S. Frommer; Alvin Sinderbrand

[57] CLAIM

The new and ornamental design for a storage container for a mini-optical disc cartridge, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a storage container for a mini-optical disc cartridge showing our new design in an open position;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a cross-sectional view taken on line 7—7 of FIG. 2;

FIG. 8 is a perspective view thereof, the broken lines showing promotional material and legible indicia in FIGS. 8, and 10 through 12 being for illustrative purposes only and forming no part of the claimed design;

FIG. 9 is a top plan view of FIG. 8;

FIG. 10 is a bottom plan view of FIG. 8;

FIG. 11 is a front elevational view of FIG. 8;

FIG. 12 is a rear elevational view of FIG. 8;

FIG. 13 is a left side elevational view of FIG. 8;

FIG. 14 is a cross-sectional view taken on line 14—14 of FIG. 9;

FIG. 15 is a top perspective view of a storage container for a mini-optical disc cartridge showing our new design in a closed position;

FIG. 16 is a bottom perspective view of FIG. 15;

FIG. 17 is a top plan view of FIG. 15;


FIG. 18 is a bottom plan view of FIG. 15;

FIG. 19 is a front elevational view of FIG. 15;

FIG. 20 is a rear elevational view of FIG. 15;

FIG. 21 is a left side elevational view of FIG. 15; and,

FIG. 22 is a cross-sectional view taken on line 22—22 of FIG. 17.






FIG 1




FIG 3




FIG 2




FIG 5




FIG 4




FIG 7




FIG 6




FIG 8




FIG 10




FIG 9




FIG 12




FIG 11




FIG 1A




FIG 1B




FIG 15




FIG 16





FIG 18



22

22

FIG 17




FIG 19




FIG 20




FIG 21




FIG 22