



US00D352229S

# United States Patent [19]

## Kearns

[11] Patent Number: Des. 352,229

[45] Date of Patent: \*\* Nov. 8, 1994

[54] PORTION OF A KEY BLADE BLANK

[75] Inventor: Robert E. Kearns, San Francisco, Calif.

[73] Assignee: Corbin Russwin, Inc., Berlin, Conn.

[\*\*] Term: 14 Years

[21] Appl. No.: 3,309

[22] Filed: Jan. 6, 1993

[52] U.S. Cl. .... D8/347

[58] Field of Search ..... D8/347-348; 70/393, 402, 405-407, 419, 437

## [56] References Cited

## U.S. PATENT DOCUMENTS

- |            |         |                   |          |
|------------|---------|-------------------|----------|
| D. 278,880 | 5/1985  | Widen .....       | D8/347   |
| D. 286,854 | 11/1986 | Fane et al. ....  | D8/347   |
| D. 328,856 | 8/1992  | Best et al. ....  | D8/347   |
| D. 335,253 | 5/1993  | Eizen .....       | D8/347   |
| 2,803,959  | 8/1957  | Schlage .....     | 70/347 X |
| 3,499,304  | 3/1970  | Nuajoks .....     | 70/406   |
| 4,608,842  | 9/1986  | Tietz .....       | 70/419 X |
| 4,964,288  | 10/1990 | Braun et al. .... | 70/406   |

## FOREIGN PATENT DOCUMENTS

- |         |        |               |          |
|---------|--------|---------------|----------|
| 88591   | 2/1960 | Denmark ..... | 70/406 X |
| 2740416 | 3/1979 | Germany .     |          |

## OTHER PUBLICATIONS

Ilco Unican Corp Catalogue No. 60R (1984) Key Blank #A1170B (p. 2).

Ilco Unican Corp Catalogue No. 60R (1984) Key Blank #1054F (p. 13).

Emhart Corporation Drawing Warding Data-Sections 59AC, 62AC, 76D1.

Primary Examiner—Brian N. Vinson  
Attorney, Agent, or Firm—Darby & Darby

## [57] CLAIM

The ornamental design for portion of a key blade blank, as shown and described.

## DESCRIPTION

FIG. 1 is a front view of a first embodiment of my new design of a portion of a key blade blank;

FIG. 2 is a right side view of a first embodiment of my new design of a portion of a key blade blank;

FIG. 3 is a left side view of a first embodiment of my new design of a portion of a key blade blank;

FIG. 4 is a top view of a first embodiment of my new design of a portion of a key blade blank;

FIG. 5 is a bottom view of a first embodiment of my new design of a portion of a key blade blank;


FIG. 6 is a front view of a second embodiment of my new design of a portion of a key blade blank;

FIG. 7 is a right side view of a second embodiment of my new design of a portion of a key blade blank;

FIG. 8 is a left side view of a second embodiment of my new design of a portion of a key blade blank;

FIG. 9 is a top view of a second embodiment of my new design of a portion of a key blade blank; and,

FIG. 10 is a bottom view of a second embodiment of my new design of a portion of a key blade blank.






FIG. 4




FIG. 2




FIG. 5




FIG. 1




FIG. 3




FIG. 9




FIG. 7



FIG. 10



FIG. 6




FIG. 8