



US00D352252S

United States Patent [19]

[11] Patent Number: **Des. 352,252**

Huang

[45] Date of Patent: **** Nov. 8, 1994**

[54] **TIRE PRESSURE INDICATOR**

[76] Inventor: **Tien-Tsai Huang**, No. 4, Lane 30,
Wu-Chang St., Pan-Chiao City,

[**] Term: **14 Years**

[21] Appl. No.: **7,647**

[22] Filed: **Apr. 29, 1993**

[52] U.S. Cl. **D10/86**

[58] Field of Search 73/146, 146.2, 146.3,
73/146.8; 220/DIG. 16; 206/302, 457, 458,
569; 340/847; 401/52; 446/75-78, 465, 470,
471; D10/85, 86; D19/42, 65; D21/128, 134,
136

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 260,665 9/1981 Yamashina D21/136
- D. 262,564 1/1982 Yamashina D21/136
- D. 276,537 11/1984 Tabachnik D19/42 X

- D. 293,258 12/1987 Noshiro D21/136
- 4,615,686 10/1986 Bartos 446/471 X
- 4,753,346 6/1988 Tsuji 206/457 X


Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Jacobson, Price, Holman & Stern

[57] **CLAIM**

The ornamental design for a tire pressure indicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire pressure indicator showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7