



US00D352312S

United States Patent [19]

Butler

[11] Patent Number: **Des. 352,312**

[45] Date of Patent: **** Nov. 8, 1994**

[54] **COMBINED GLOBE AND SATELLITE**

1,863,600	6/1932	Jones	434/143
2,422,101	6/1947	Johannsen	434/131
4,761,138	8/1988	Neisyn	.	

[76] Inventor: **William N. Butler**, 404-Balido Ter., Key West, Fla. 33040

[**] Term: **14 Years**

Primary Examiner—Wallace R. Burke
Assistant Examiner—Pamela Burgess
Attorney, Agent, or Firm—Terry M. Gernstein

[21] Appl. No.: **5,561**

[57] **CLAIM**

[22] Filed: **Mar. 5, 1993**

The ornamental design for a combined globe and satellite, as shown and described.

[52] U.S. Cl. **D19/61; 434/131**

[58] Field of Search 434/111, 131, 143, 139, 434/147; D19/59-64


DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 211,346	6/1968	Egan	D19/61
D. 249,534	9/1978	Denney	.	
D. 281,983	12/1985	Yasufuku	D19/61
D. 321,534	11/1991	Edgerton	.	
247,811	10/1881	Eichens	434/111

FIG. 1 is a front, top and side perspective view of the combined globe and satellite showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof, the side opposite being a mirror image of the side shown in FIG. 4; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.






FIG.1.




FIG. 2.

FIG. 3.

FIG. 4.




FIG. 6.




FIG. 5.