



US00D352420S

**United States Patent** [19]  
**Costello**

[11] **Patent Number: Des. 352,420**  
[45] **Date of Patent: \*\* Nov. 15, 1994**

- [54] **THERMOELECTRIC HEATER AND COOLER UNIT FOR FOOD**
- [75] **Inventor: James J. J. Costello, Houston, Tex.**
- [73] **Assignee: Igloo Products Corp., Houston, Tex.**
- [\*\*] **Term: 14 Years**
- [21] **Appl. No.: 753,668**
- [22] **Filed: Sep. 3, 1991**
- [52] **U.S. Cl. .... D7/350; D7/323; D15/81**
- [58] **Field of Search ..... D7/602, 605, 607, 323, D7/350; 126/19; 312/139.2, 236, 397; 62/252, 371, 457.1, 457.2, 457.9; D23/328; D15/79-81, 83, 89**

**OTHER PUBLICATIONS**

Yam's Electronics Factory Ltd. Jan. 1986 p. 43 item FH-12B-In Group 2900.

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Robin V. Taylor  
*Attorney, Agent, or Firm*—Cushman Darby & Cushman

[57] **CLAIM**

The ornamental design for a thermoelectric heater and cooler unit for food, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a thermoelectric heater and cooler unit for food showing my new design from the front, top and right end, with its handles retracted and its door closed;

FIG. 2 is a top plan view thereof;

FIG. 3 is a right end elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left end elevational view thereof with its left handle extended in a position of use;



FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a perspective view thereof in a position of use, supported on the left end thereof, with its door open.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |         |       |          |
|------------|---------|---------|-------|----------|
| D. 71,810  | 1/1927  | Olson   | ..... | D7/350   |
| D. 175,625 | 9/1955  | Lind    | ..... | D23/328  |
| D. 189,279 | 11/1960 | Beyrodt | ..... | D7/350   |
| D. 309,900 | 8/1990  | Illsley | ..... | D7/605   |
| D. 320,606 | 10/1991 | Fritsch | ..... | D15/83   |
| 4,095,711  | 6/1978  | Conley  | ..... | 220/94 R |






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

