



US00D352431S

United States Patent [19]

[11] Patent Number: **Des. 352,431**

Bassett

[45] Date of Patent: **** Nov. 15, 1994**

[54] **IMPLEMENT FOR GUIDING WIRES THROUGH FLEXIBLE CONDUIT**

[76] Inventor: **Robert D. Bassett, R.R. 1 Box 170, Alexandria, Ind. 46001**

[**] Term: **14 Years**

[21] Appl. No.: **928**

[22] Filed: **Oct. 29, 1992**

[52] U.S. Cl. **D8/14; D14/234**

[58] Field of Search **D8/14; 254/134.3 R, 254/134.3 FT; 343/715, 901, 900; D14/234, 236**

2,980,398	4/1961	Raney et al.	254/134.3 FT
3,430,832	3/1969	Meyer	230/196
3,493,162	2/1970	Guenel	230/196
3,500,877	3/1970	Lingen	230/196
4,038,661	7/1977	Nolt	343/715
4,854,546	8/1989	Vea	254/134.3 R

Primary Examiner—Bernard Ansher
Assistant Examiner—Philip Hyder
Attorney, Agent, or Firm—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for a implement for guiding wires through flexible conduit, as shown and described.

DESCRIPTION

FIG. 1 is a top and end perspective view of the implement for guiding wires through flexible conduit showing my new design;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof; and,

FIG. 4 is a side elevational view thereof, all side elevational views as well as the top plan and bottom plan views being identical to the view shown in FIG. 4.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 270,054	8/1983	Spycher	D14/234
D. 271,017	10/1983	Spycher	D14/236
D. 315,351	3/1991	Velazquez	D14/234
2,206,821	7/1940	Mydlil	343/715
2,497,687	2/1950	Pickett et al.	343/901
2,808,278	10/1957	Snyder	343/900






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.