



US00D352463S

United States Patent [19]

[11] Patent Number: **Des. 352,463**

Kubo

[45] Date of Patent: **** Nov. 15, 1994**

[54] **COMBINED PORTABLE TIMEPIECE AND HEMADYNAMOMETER**

[75] Inventor: **Tatsuya Kubo, Ome, Japan**

[73] Assignee: **Casio Computer Co., Ltd., Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **1,603**

[22] Filed: **Nov. 17, 1992**

[52] U.S. Cl. **D10/31; D10/15; D10/2; D24/165**

[58] Field of Search **368/10, 11, 107-109; 128/668, 672; D10/1-40, 122-132; D24/165, 167, 169**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 263,740 4/1982 Rogers D24/167
- D. 303,771 10/1989 Chan D10/15 X
- D. 320,357 10/1991 Mizukami D10/40 X

- D. 320,944 10/1991 Wada D10/15
- D. 330,593 10/1992 Moro D24/165
- D. 333,272 2/1993 Peersmann D10/15
- 4,262,842 4/1981 Grover 368/10 X
- 4,711,585 12/1987 Fresquez 368/109

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Frishauf, Holtz, Goodman & Woodward

[57] **CLAIM**

The ornamental design for a combined portable timepiece and hemadyrometer, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a combined portable timepiece and hemodynometer showing my new design;

FIG. 2 is a right side elevation view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a rear elevation view thereof; and,

FIG. 7 is a perspective view thereof.




FIG.4




FIG.3




FIG.1




FIG.2



FIG.5




FIG.6




FIG.7

