



US00D352498S

# United States Patent [19]

[11] Patent Number: Des. 352,498

Beidler et al.

[45] Date of Patent: \*\* Nov. 15, 1994

- [54] **COMBINED STORAGE BATTERY COVER AND MOVABLE HANDLE**
- [75] Inventors: **David B. Beidler**, Gilbertsville; **Scott Cronrath**, Shillington, both of Pa.
- [73] Assignee: **Exide Corporation**, Reading, Pa.
- [\*\*] Term: **14 Years**
- [21] Appl. No.: **833,492**
- [22] Filed: **Feb. 12, 1986**
- [52] U.S. Cl. .... **D13/119; D13/104**
- [58] Field of Search ..... **429/82, 88, 121, 163, 429/175, 176, 178, 179, 187; 16/115, 126; D13/104, 106, 119**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |                          |           |
|------------|---------|--------------------------|-----------|
| D. 198,315 | 6/1964  | Fiandt et al. ....       | D13/106   |
| D. 269,264 | 6/1983  | Oxenreider .....         | D13/119   |
| D. 292,476 | 11/1987 | Kump et al. ....         | D13/106   |
| D. 294,484 | 3/1988  | Kellett et al. ....      | D13/106   |
| 470,123    | 3/1992  | Harris .....             | 429/179 X |
| 888,079    | 5/1908  | Furman .....             | 16/115    |
| 1,200,994  | 10/1916 | Shindel .....            | 429/178 X |
| 1,796,343  | 3/1931  | Pierson .....            | D13/106 X |
| 2,306,099  | 12/1942 | Wiepert .....            | 16/115 X  |
| 2,697,244  | 12/1954 | Lincke .....             | 16/115    |
| 3,081,373  | 5/1961  | Hughes .....             | 429/88    |
| 3,451,590  | 6/1969  | Johnson et al. ....      | 16/115 X  |
| 3,770,511  | 11/1973 | Winterbottom et al. .... | 429/82    |
| 3,871,924  | 3/1975  | DeMattie et al. ....     | D13/106 X |
| 4,424,264  | 1/1984  | McGuire et al. ....      | 429/187 X |
| 4,448,863  | 5/1984  | Terrell .....            | 429/178   |
| 4,486,516  | 12/1984 | Poe .....                | 429/82    |

**FOREIGN PATENT DOCUMENTS**

871604 1/1942 France .

**OTHER PUBLICATIONS**

James I. Sikora "Universal Batteries—factor fad" *The Battery Man*, Apr. 1986 pp. 26-38.

*Primary Examiner*—Susan J. Lucas

*Assistant Examiner*—Joel Sincavage

*Attorney, Agent, or Firm*—Frank Benasutti

[57] **CLAIM**

The ornamental design for a storage battery cover having movable handle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front and upper left perspective view of a

combined storage battery cover and movable handle showing our new design. The broken line showing of the battery container throughout the disclosure is included for the purpose of illustrating environmental elements only and forms no part of the claimed design; FIG. 2 is a top plan view of a combined storage battery cover and movable handle showing our design shown on an enlarged scale;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a right side elevational view thereof, the left side elevational view thereof being a mirror image;

FIG. 7 is a front and upper left perspective view thereof shown with the handle in a down position and on the same scale as FIG. 1;

FIG. 8 is a front and upper left perspective view of a combined storage battery cover and movable handle showing a second embodiment our new design;

FIG. 9 is a top plan view of a combined storage battery cover and movable handle showing our design shown on an enlarged scale;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a front elevational view thereof;

FIG. 12 is a rear elevational view thereof;

FIG. 13 is a right side elevational view thereof, the left side elevational view thereof being a mirror image;

FIG. 14 is a front and upper left perspective view thereof shown with the handle in a down position and on the same scale as FIG. 1;

FIG. 15 is a front and upper left perspective view of a combined storage battery cover and movable handle showing a third embodiment our new design;

FIG. 16 is a top plan view of a combined storage battery cover and movable handle showing our design shown on an enlarged scale;

FIG. 17 is a bottom plan view thereof;


FIG. 18 is a front elevational view thereof;


FIG. 19 is a rear elevational view thereof;

FIG. 20 is a right side elevational view thereof, the left side elevational view thereof being a mirror image; and,


FIG. 21 is a front and upper left perspective view thereof shown with the handle in a down position and on the same scale as FIG. 1.

The broken lines shown in FIG. 1, FIGS. 4 through 8, 11 through 15 and 18 through 21 of a portion of a battery container in phantom are for illustrative purposes only.







*FIG. 1*




*FIG. 2*

*FIG. 3*







**FIG. 4**




**FIG. 5**




**FIG. 6**




**FIG. 7**




*FIG. 8*




*FIG. 9*




*FIG. 10*




*FIG. 11*




*FIG. 12*




*FIG. 13*




*FIG. 14*




**FIG. 15**




**FIG. 16**




**FIG. 17**




*FIG. 18*



*FIG. 19*



*FIG. 20*



*FIG. 21*