

US00D352498S

United States Patent [19]

Beidler et al.

[11] Patent Number: Des. 352,498

[45] Date of Patent: ** Nov. 15, 1994

[54]	COMBINED STORAGE BATTERY COVER AND MOVABLE HANDLE		
[75]	Inventors:	David B. Beidler, Gilbertsville; Scott Cronrath, Shillington, both of Pa.	
[73]	Assignee:	Exide Corporation, Reading, Pa.	
[**]	Term:	14 Years	
[21]	Appl. No.:	833,492	
[22]	Filed:	Feb. 12, 1986	
[52]	U.S. Cl	D13/119; D 13/104	
[58]	Field of Search		
	429/175, 176, 178, 179, 187; 16/115, 12		
		D13/104, 106, 119	
[56]		References Cited	
	U.S. I	PATENT DOCUMENTS	

D. 198,315	6/1964	Fiandt et al
D. 269,264	6/1983	Oxenreider D13/119
D. 292,476	11/1987	Kump et al
D. 294,484	3/1988	Kellett et al
470,123	3/1992	Harris 429/179 X
888,079	5/1908	Furman
1,200,994	10/1916	Shindel
1,796,343	3/1931	Pierson D13/106 X
2,306,099	12/1942	Wiepert 16/115 X
2,697,244	12/1954	Lincke
3,081,373	5/1961	Hughes 429/88
3,451,590	6/1969	Johnson et al 16/115 X
3,770,511	11/1973	Winterbottom et al 429/82
3,871,924	3/1975	DeMattie et al D13/106 X
4,424,264	1/1984	McGuire et al 429/187 X
4,448,863	5/1984	Terrell
4,486,516	12/1984	Poe 429/82

FOREIGN PATENT DOCUMENTS

871604 1/1942 France.

OTHER PUBLICATIONS

James I. Sikora "Universal Batteries—factor fad" The Battery Man, Apr. 1986 pp. 26-38.

Primary Examiner—Susan J. Lucas
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Frank Benasutti
[57] CLAIM

The ornamental design for a storage battery cover having movable handle, as shown and described.

DESCRIPTION

FIG. 1 is a front and upper left perspective view of a

combined storage battery cover and movable handle showing our new design. The broken line showing of the battery container throughout the disclosure is included for the purpose of illustrating environmental elements only and forms no part of the claimed design; FIG. 2 is a top plan view of a combined storage battery cover and movable handle showing our design shown on an enlarged scale;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a right side elevational view thereof, the left side elevational view thereof being a mirror image;

FIG. 7 is a front and upper left perspective view thereof shown with the handle in a down position and on the same scale as FIG. 1;

FIG. 8 is a front and upper left perspective view of a combined storage battery cover and movable handle showing a second embodiment our new design;

FIG. 9 is a top plan view of a combined storage battery cover and movable handle showing our design shown on an enlarged scale;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a front elevational view thereof;

FIG. 12 is a rear elevational view thereof;

FIG. 13 is a right side elevational view thereof, the left side elevational view thereof being a mirror image;

FIG. 14 is a front and upper left perspective view thereof shown with the handle in a down position and on the same scale as FIG. 1;

FIG. 15 is a front and upper left perspective view of a combined storage battery cover and movable handle showing a third embodiment our new design;

FIG. 16 is a top plan view of a combined storage battery cover and movable handle showing our design shown on an enlarged scale;


FIG. 17 is a bottom plan view thereof;

FIG. 18 is a front elevational view thereof;

FIG. 19 is a rear elevational view thereof;

FIG. 20 is a right side elevational view thereof, the left side elevational view thereof being a mirror image; and, FIG. 21 is a front and upper left perspective view thereof shown with the handle in a down position and on the same scale as FIG. 1.

The broken lines shown in FIG. 1, FIGS. 4 through 8, 11 through 15 and 18 through 21 of a portion of a battery container in phantom are for illustrative purposes only.










FIG. 1



F16. 2








Nov. 15, 1994

F1G. 8



F/G. 9

