



US00D352524S

# United States Patent [19]

[11] Patent Number: **Des. 352,524**

**Watanabe**

[45] Date of Patent: **\*\* Nov. 15, 1994**

[54] **CASE FOR LEAD**

D. 306,519 3/1990 Nakata ..... D3/74  
4,984,288 1/1991 Petterson ..... 206/214 X

[75] Inventor: **Hiroyuki Watanabe**, Hiratsuka, Japan

**FOREIGN PATENT DOCUMENTS**

[73] Assignee: **Pilot Precision Kabushiki Kaisha**, Hiratsuka, Japan

5330343 4/1980 Japan .  
6115554 11/1989 Japan .  
6115555 11/1989 Japan .  
6317179 12/1989 Japan .

[\*\*] Term: **14 Years**

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Paula Mortimer  
*Attorney, Agent, or Firm*—Ladas & Parry

[21] Appl. No.: **912,781**

[22] Filed: **Jul. 13, 1992**

[30] **Foreign Application Priority Data**

[57] **CLAIM**

Jan. 20, 1992 [JP] Japan ..... 4-1110

[52] U.S. Cl. .... **D19/35**

[58] Field of Search ..... D3/78, 30.1; 206/214;  
401/82, 88, 83, 86, 87, 93, 92, 94; D19/35, 81,  
83, 84, 85, 100

The ornamental design for a case for lead, as shown and described.


**DESCRIPTION**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

9,870 3/1877 Schrag ..... D19/84  
D. 137,496 3/1944 Lustig ..... D3/30.1  
D. 293,044 12/1987 Johnson ..... D3/30.1

FIG. 1 is a front elevational view of a case for lead showing my new design, the rear is a mirror image; FIG. 2 is a right side elevational view thereof, the left side elevational view being a mirror image thereof and, therefore, not being shown; FIG. 3 is a top plan view thereof; and, FIG. 4 is a bottom plan view thereof.






FIG. 1



FIG. 2



FIG. 3



FIG. 4