



US00D352602S

# United States Patent [19] Wendell

[11] Patent Number: Des. 352,602

[45] Date of Patent: \*\* Nov. 22, 1994

- [54] COMPACT CARRYING CASE
- [75] Inventor: Leslie A. Wendell, Manchester, Mo.
- [73] Assignee: Wainwright Industries, Inc., St. Peters, Mo.
- [\*\*] Term: 14 Years
- [21] Appl. No.: 7,618
- [22] Filed: Apr. 27, 1993
- [52] U.S. Cl. .... D3/230; D3/215
- [58] Field of Search ..... D3/230, 215; 220/339, 220/306, 337; 224/252, 253, 224, 219, 267, 222, 228, 235, 236, 240, 246; D24/216, 217, 223, 224; D14/68, 191; D28/77, 83, 64.1, 64.2, 64.3

- D. 314,382 2/1991 Scheid et al. .... 14/191
- D. 322,787 12/1991 Scheid et al. .... 14/191
- D. 325,911 5/1992 Scheid et al. .... D14/191
- D. 325,911 5/1992 Scheid et al. .... 14/191
- D. 327,066 6/1992 Scheid et al. .... 14/191
- 1,485,915 3/1924 Hammel ..... 224/219
- 2,507,319 5/1950 Peters ..... 224/240 X
- 4,071,065 1/1978 Halbich ..... 224/235 X
- 4,113,157 9/1978 Woodbury ..... 224/240 X
- 4,997,100 3/1991 Dudek ..... D24/224 X
- 5,127,537 7/1992 Graham ..... 220/339

Primary Examiner—A. Hugo Word  
 Assistant Examiner—Doris V. Coles  
 Attorney, Agent, or Firm—Senniger, Powers, Leavitt & Roedel

## [56] References Cited

### U.S. PATENT DOCUMENTS

- Re. 34,182 2/1993 Hayasaka et al. .... 14/191
- D. 244,853 6/1977 Cordell, Jr. .... D3/230
- D. 264,080 4/1982 Iwata ..... 14/70
- D. 272,243 1/1984 Scheid ..... 14/68
- D. 272,244 1/1984 Scheid ..... 14/68
- D. 272,245 1/1984 Scheid et al. .... 14/68
- D. 278,905 5/1985 Scheid et al. .... 14/68
- D. 281,600 12/1985 Claxton et al. .... 14/68
- D. 286,287 10/1986 Toth et al. .... 14/68
- D. 303,527 9/1989 Galvin et al. .... 14/191
- D. 303,667 9/1989 Scheid et al. .... 14/191
- D. 303,969 10/1989 Scheid et al. .... 14/191
- D. 304,192 10/1989 Hayasaka et al. .... 14/191

## [57] CLAIM

The ornamental design for a compact carrying case, as shown and described.

## DESCRIPTION

FIG. 1 is a perspective of the compact carrying case of the invention, shown laying flat and in its partially open position;  
 FIG. 2 is a front elevation thereof, shown in its vertically upright position;  
 FIG. 3 is a rear elevation thereof;  
 FIG. 4 is a right side elevation thereof, the left side elevational view being identical thereto;  
 FIG. 5 is a top view thereof; and,  
 FIG. 6 is a bottom view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

